

GCSE



WJEC GCSE in
MATHEMATICS - NUMERACY

ACCREDITED BY WELSH GOVERNMENT

**SPECIMEN ASSESSMENT
MATERIALS**

Teaching from 2015

This Welsh Government regulated qualification is not available to centres in England.



FOR TEACHING FROM 2015
FOR AWARD FROM NOVEMBER 2016

GCSE MATHEMATICS - NUMERACY

SPECIMEN ASSESSMENT MATERIALS

CONTENTS

	Page
Question papers	
UNIT 1: Non-calculator, Higher Tier	7
UNIT 1: Non-calculator, Intermediate Tier	29
UNIT 1: Non-calculator, Foundation Tier	51
UNIT 2: Calculator-allowed, Higher Tier	69
UNIT 2: Calculator-allowed, Intermediate Tier	87
UNIT 2: Calculator-allowed, Foundation Tier	107
Marking schemes	
UNIT 1: Non-calculator, Higher Tier	126
UNIT 1: Non-calculator, Intermediate Tier	131
UNIT 1: Non-calculator, Foundation Tier	135
UNIT 2: Calculator-allowed, Higher Tier	139
UNIT 2: Calculator-allowed, Intermediate Tier	145
UNIT 2: Calculator-allowed, Foundation Tier	149
Assessment grids	153

QUESTION PAPERS

Candidate Name	Centre Number					Candidate Number				
						0				



GCSE

MATHEMATICS - NUMERACY

UNIT 1: NON-CALCULATOR
HIGHER TIER

SPECIMEN PAPER SUMMER 2017

1 HOUR 45 MINUTES

ADDITIONAL MATERIALS

The use of a calculator is not permitted in this examination.
A ruler, protractor and a pair of compasses may be required.

INSTRUCTIONS TO CANDIDATES

Write your name, centre number and candidate number in the spaces at the top of this page.

Answer **all** the questions in the spaces provided in this booklet.

Take π as 3.14.

INFORMATION FOR CANDIDATES

You should give details of your method of solution when appropriate.

Unless stated, diagrams are not drawn to scale.

Scale drawing solutions will not be acceptable where you are asked to calculate.


The number of marks is given in brackets at the end of each question or part-question.

The assessment will take into account the quality of your linguistic and mathematical organisation, communication and accuracy in writing in question 7(a).


For Examiner's use only		
Question	Maximum Mark	Mark Awarded
1.	7	
2.	14	
3.	6	
4.	4	
5.	3	
6.	5	
7.	9	
8.	7	
9.	8	
10.	4	
11.	13	
TOTAL	80	

Formula list – Higher tier

Area of a trapezium = $\frac{1}{2}(a+b)h$




Volume of a prism = area of cross section \times length




Volume of a sphere = $\frac{4}{3}\pi r^3$

Surface area of a sphere = $4\pi r^2$



Volume of a cone = $\frac{1}{3}\pi r^2 h$

Curved surface area of a cone = $\pi r l$




In any triangle ABC ,

Sine rule: $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$

Cosine rule: $a^2 = b^2 + c^2 - 2bc \cos A$

Area of triangle = $\frac{1}{2}ab \sin C$



The Quadratic Equation

The solutions of $ax^2 + bx + c = 0$ where $a \neq 0$ are given by $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$

Annual Equivalent Rate (AER)

AER, as a decimal, is calculated using the formula $\left(1 + \frac{i}{n}\right)^n - 1$, where i is the nominal interest rate per annum as a decimal and n is the number of compounding periods per annum.

1. A magazine article states:

Each year one third of the world's whale population migrates around the North West coast of Scotland.



A Minke whale is sighted by a number of people in a sea area near North Minch.

In attempting to locate the Minke whale, the following details are known.

- The distance from Muir of Ord to Dingwall is 10 miles.
- The whale is
 - equidistant from Stornoway and Ullapool,
 - within 30 miles of Portree,
 - further than 10 miles off shore.

(a) Use the map on the opposite page to indicate possible locations of the sighting of the Minke whale.

You must show all your constructions and working.


[5]

(b) Complete the following sentence to give the range of possible bearings of the Minke whale from Stornoway.

[2]

The bearing of the Minke whale from Stornoway is between


..... ° and °.




- (b) Before agreeing to improve the hotel's swimming pool, the manager of the *Hafod Hotel* decides to check the price of a double room for a night, in hotels with and without swimming pools.

She has grouped her results, 120 hotels with a swimming pool and 120 hotels without a swimming pool.


Prices for double rooms at hotels with a swimming pool



Prices for double rooms at hotels without a swimming pool



- (i) The *Hafod Hotel* owners look at the manager's findings and ask:



What response should the manager give?
You must show all your working.

[2]

.....

.....

.....

.....

.....

.....

.....

- (ii) To help decide whether or not to improve the *Hafod Hotel's* swimming pool, the manager's findings need to be interpreted.

Describe the difference in the distribution of prices for a double room in hotels with a swimming pool compared with those without a swimming pool.

You must use an appropriate average and measure of spread and interpret your findings.

[4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

3. The Royal Mint in Llantrisant in South Wales is the body permitted to manufacture the coins of the United Kingdom.



- (a) In March 2013, the Royal Mint estimated the number of coins in circulation.

Coin	Number of coins in circulation (in millions)
£2	394
£1	1526
50p	920
20p	2704
10p	1598
5p	3813
2p	6600
1p	11 293

One particular coin is selected.

The total **value** of the coins in circulation of this selected coin was greater than for any other coin.

Which coin was selected?

Circle your answer.

[1]

£2 coin

£1 coin

50p coin

10p coin

1p coin

- (b) Hari has a gold coin.
It weighs 8g.
What does this weigh in kg?
Circle your answer.

[1]

8×10^3 kg

8×10^{-2} kg

8×10^{-3} kg

8^{-2} kg

8^{-3} kg

- (c) How many of these coins could the Royal Mint possibly make from a gold bar weighing 2460g?
Circle your answer.

[1]

30

307

310

308

3075

- (d) Another gold bar has a mass of 3.86 kg and a volume of 200 cm^3 .



Calculate the density, in g/cm^3 , of the gold in the bar. [3]

.....

.....

.....

.....

.....

.....

4. In a factory, Machine A is three times as quick as Machine B in assembling identical circuit boards.
Machine A is allocated two and a half times as many of these circuit boards to assemble as Machine B.

Machine B took 4 hours to assemble all of its allocation.

How long did it take for Machine A to complete its allocation?
Give your answer in hours and minutes. [4]

.....

.....

.....

.....

.....


.....

.....

.....

.....

5. The box-and-whisker plot shows information about the height, in feet, of waves measured at a beach on a particular day.



- (a) About what fraction of the waves measured were less than 6 feet? [1]


.....

.....

- (b) Circle either TRUE or FALSE for each of the following statements. [2]

The smallest wave measured was 5 feet.	TRUE	FALSE
The range of the heights of the waves measured was 6.5 feet.	TRUE	FALSE
Approximately a half of the waves measured were more than 9.5 feet.	TRUE	FALSE
Approximately a quarter of the waves measured were between 6 feet and 9.5 feet.	TRUE	FALSE
The biggest wave measured was 12.25 feet.	TRUE	FALSE

6. Ffion has organised a conference in the *Hafod Hotel*.
The hotel has given Ffion a graph to illustrate the costs for room hire with refreshments for different numbers of people.



- (a) (i) Calculate the gradient of the straight line graph. [2]

.....

.....

.....

.....

- (ii) Explain what the gradient tells you about the conference costs. [1]

.....

.....

.....

- (iii) The straight line graph intersects the vertical axis at £300.
Explain what this tells you about the conference costs. [1]

.....

.....

.....

- (b) 20 more people arrived at the conference than Ffion had expected.
The hotel prepared extra food and set out more chairs in the conference room.
Calculate how much **extra** Ffion has to pay the hotel. [1]

.....

.....

.....

- (b) Rhodri uses formulae to calculate the perimeters and areas of the logos.

In the formulae, a , b , c and d are all lengths.

- (i) Which **one** of the following formulae might be used to calculate the perimeter of the logo?
Circle your answer. [1]

$$\text{Perimeter} = a(b + 2c + d)$$

$$\text{Perimeter} = a - 5b + 2c - d$$

$$\text{Perimeter} = ab + 2c + d$$

$$\text{Perimeter} = a + b + 2c + d^2$$

- (ii) Which **one** of the following formulae might be used to calculate the area of the logo?
Circle your answer. [1]


$$\text{Area} = ad(b + 2c^2)$$

$$\text{Area} = a(5b + 2c + d^2)$$

$$\text{Area} = 3(a + b + 2c) + d$$

$$\text{Area} = a(5b + 2c - d)$$

8. A velocity-time graph, representing a 50-second journey of a bicycle accelerating from 0 m/s, is shown below.



- (a) Calculate an estimate for the acceleration at time $t = 30$ seconds. You must give the units for your answer.

[4]

.....

.....

.....

.....

Acceleration:

(b) Calculate an estimate for the distance travelled by the bicycle in the first 30 seconds. [3]

.....

.....

.....

.....

.....


.....

Distance travelled:

9. Dewi records the times a group of pupils take to type a particular message into their mobile phones.



Dewi began to draw a histogram to show the results.



- (a) Two pupils took between 8 seconds and 10 seconds to type the message. Use this information to complete Dewi's histogram. You must show all your working. [2]

.....

.....

.....

- 10.** A shopkeeper pays £120 for an mp3 player.
He wishes to put a marked price on the mp3 player so that, in the forthcoming sale, when he gives a discount of 25% on the marked price, he will still make a profit of 20% on the price paid for the mp3 player.
Find the marked price. [4]

.....

.....

.....

.....

.....

.....

.....

.....

11. (a) In 2009, approximate costs for building 1 mile of road in Wales were published, as given below.

Type of road	Approximate cost per mile
Single carriageway	£8 million
Dual carriageway	£13 million
Motorway	£24 million



A road was built in 2009 that went 10% over the published costs.

This road is 28 miles long, with $\frac{3}{4}$ of its length being a single carriageway and the remainder being a dual carriageway.

- (i) Calculate an estimate of the cost of building the single carriageway. [3]

.....

.....

.....

.....

.....

- (ii) Calculate an estimate of the cost of building the remaining dual carriageway. Circle your answer. [1]

£10 million £10⁶ £9 × 10⁷ £1 × 10⁸ £14.3 million

Candidate Name	Centre Number					Candidate Number				
						0				



GCSE

MATHEMATICS - NUMERACY

UNIT 1: NON-CALCULATOR
INTERMEDIATE TIER

SPECIMEN PAPER SUMMER 2017

1 HOUR 45 MINUTES

ADDITIONAL MATERIALS

The use of a calculator is not permitted in this examination.
A ruler, protractor and a pair of compasses may be required.

INSTRUCTIONS TO CANDIDATES

Write your name, centre number and candidate number in the spaces at the top of this page.

Answer **all** the questions in the spaces provided in this booklet.

Take π as 3.14.

INFORMATION FOR CANDIDATES

You should give details of your method of solution when appropriate.

Unless stated, diagrams are not drawn to scale.

Scale drawing solutions will not be acceptable where you are asked to calculate.


The number of marks is given in brackets at the end of each question or part-question.

The assessment will take into account the quality of your linguistic and mathematical organisation, communication and accuracy in writing in question 4.


For Examiner's use only		
Question	Maximum Mark	Mark Awarded
1.	4	
2.	5	
3.	8	
4.	6	
5.	4	
6.	9	
7.	5	
8.	7	
9.	14	
10.	6	
11.	4	
12.	3	
13.	5	
TOTAL	80	

Formula list

Area of a trapezium = $\frac{1}{2}(a+b)h$



Volume of a prism = area of cross section \times length



1. Martina walks **650 metres due North**.

She then turns **right through an angle of 37°** and then walks a further **500 metres in a straight line**.

Using a scale of **1cm to represent 100 m**, draw an accurate scale drawing to show the above information.

The starting point is given.


Use your completed drawing to find the actual distance Martina is away from her starting point. [4]



Actual distance from the starting point =

2. The travel graph below illustrates Robbie's journey to and from school one day.

Distance from Robbie's house (miles)



(a) (i) At what time did Robbie arrive at school?
Circle your answer. [1]

8:00 a.m. 8:30 a.m. 3:30 p.m. 8:50 a.m. 9:00 a.m.

(ii) At what time was Robbie furthest away from his house?
Circle your answer. [1]

12:15 p.m. 6 p.m. 12:30 p.m. 3:30 p.m. 12 noon

- (iii) Which one of the following statements is correct?
Circle your answer. [1]

A Robbie's average speed was greater between 8 a.m. and 9 a.m. than it was between 5 p.m. and 6 p.m.

B Robbie's average speed was the same between 8 a.m. and 9 a.m. as it was between 5 p.m. and 6 p.m.

C Robbie's average speed was less between 8 a.m. and 9 a.m. than it was between 5 p.m. and 6 p.m.

D It is not possible to tell anything about Robbie's average speed between 8 a.m. and 9 a.m. or between 5 p.m. and 6 p.m. from the information given.

- (b) The travel graph shown is correct.
Robbie is 11 years old and tells his teacher,

'I walked to school, but actually had to run fast for the last 15 minutes to get there on time.'

'I didn't leave the school classroom all day.'

For each of Robbie's statements, decide whether he was telling the truth or not.

You must give a reason for each of your answers below:

- (i) 'I walked to school but I ran for the last 15 minutes.'

Is this true? Put a tick in the box: Yes No [1]
Reason:

.....

.....

.....

- (ii) 'I stayed in the classroom all day.'

Is this true? Put a tick in the box: Yes No [1]
Reason:

.....

.....

.....

3. *Dragon CarCare* is a car cleaning company.



Dragon CarCare is charged the following costs for products and services.

Car cleaning products	Costs
Car wash liquid	£1 per 5 litre bottle
Window spray	£2 per 2 litre bottle
Wax	£2.50 per 2 litre drum
Cloths and sponges	10 p each

Service	Unit cost
Water	£2 per m ³ +
	Standing charge £4 per month
Electricity	25p per kWh +
	Standing charge £10 per month +
	5% VAT

During June *Dragon CarCare* used the following quantities of products.

Car cleaning products	Quantity used
Car wash liquid	12 bottles
Window spray	8 bottles
Wax	6 drums
Cloths and sponges	100 cloths + 100 sponges

At the beginning and at the end of June, the meter readings for water and electricity were recorded.

Service	Time: 00:01 Date: 1 June 2014 Meter reading	Time: Midnight Date: 30 June 2014 Meter reading
Water	3450 m ³	3950 m ³
Electricity	3000 kWh	3800 kWh

- (a) How much did *Dragon CarCare* spend on car cleaning products in June 2014? [3]

.....

.....

.....

.....

.....

- (b) Calculate the total cost of the water and electricity used by *Dragon CarCare* during June 2014. [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (c) The operating costs for *Dragon CarCare* is the sum of the water costs, the electricity costs and the cost of the products used.
- Calculate the operating costs for *Dragon CarCare* for June 2014 [1]

.....

.....

5. Hari lives in Chester.
 He wanted to catch the ferry to Ireland, leaving Holyhead at 12:05 p.m.
 Passengers must board the ferry at least 30 minutes before sailing time.

In planning his journey, he allowed himself 20 minutes to travel from the station at Holyhead to the ferry.

He wanted to catch the latest possible train from Chester to be sure of arriving on board the ferry in time.

Part of the train timetable he used is shown below.

Chester (depart)	07:19	08:55	09:58	10:24
Holyhead (arrival)	09:22	10:35	11:22	12:23

Hari caught the train he wanted, and the train arrived at Holyhead station on time.
 The time to travel from the station to the ferry took a total of 25 minutes.

Calculate the total time taken between Hari departing from Chester and arriving at the ferry. [4]

.....

.....

.....

.....

.....

.....


.....

.....


Time taken =

6. Nerys takes her 3 cousins, Ben, Elwyn and Denny, to an aquarium in North Wales.

(a) Denny records estimates for the length and width of some of the fish he sees at the aquarium.



He draws a scatter diagram as shown below.



(i) One of the fish is 4 cm wide.
Write down its length. [1]

..... cm

(ii) Another fish is 14 cm long.
Write down its width. [1]

..... cm

(iii) The width of a yellow fish is exactly the same as its length.
Indicate on the scatter diagram which point you think represents the yellow fish. [1]

(b)

Remember:
14 pounds = 1 stone
1 kg \approx 2.2 pounds



Nerys sees a very big fish.

She is told it weighs 15 kg.

Nerys herself weighs 9 stone 4 pounds.

Complete the following sentence.

[6]

Nerys weighs approximately times as much as the fish.

.....

.....

.....

.....

.....

.....

7. 208 visitors to Cardiff completed a questionnaire.

All 208 visitors had visited at least one of the following attractions: Cardiff Castle, the Millennium Stadium and Cardiff Bay.

25 of the visitors had visited Cardiff Castle and the Millennium Stadium and, of these, 15 had visited all three attractions.

91 of the visitors had visited the Millennium Stadium.


88 had visited Cardiff Castle.

101 had visited Cardiff Bay.

Some further information is given on the Venn diagram below.

How many visitors had visited the Millennium Stadium but not Cardiff Castle or Cardiff Bay?

[5]



.....

.....

.....

.....

.....

..... visitors had visited the Millennium Stadium but not Cardiff Castle or Cardiff Bay.

8. A magazine article states:

Each year one third of the world's whale population migrates around the North West coast of Scotland.




A Minke whale is sighted by a number of people in a sea area near North Minch

In attempting to locate the Minke whale, the following details are known.

- The distance from Muir of Ord to Dingwall is 10 miles.
 - The whale is
 - equidistant from Stornoway and Ullapool,
 - within 30 miles of Portree,
 - further than 10 miles off shore.
- (a) Use the map on the opposite page to indicate possible locations of the sighting of the Minke whale.
You must show all your constructions and working. [5]
- (b) Complete the following sentence to give the range of possible bearings of the Minke whale from Stornoway. [2]

The bearing of the Minke whale from Stornoway is between


..... ° and °.




- (b) Before agreeing to improve the hotel's swimming pool, the manager of the *Hafod Hotel* decides to check the price of a double room for a night, in hotels with and without swimming pools.

She has grouped her results, 120 hotels with a swimming pool and 120 hotels without a swimming pool.


Prices for double rooms at hotels with a swimming pool



Prices for double rooms at hotels without a swimming pool



- (i) The *Hafod Hotel* owners look at the manager's findings and ask:



What response should the manager give?
You must show all your working.

[2]

.....

.....

.....

.....

.....

.....

.....

- (ii) To help decide whether or not to improve the *Hafod Hotel's* swimming pool, the manager's findings need to be interpreted.

Describe the difference in the distribution of prices for a double room in hotels with a swimming pool compared with those without a swimming pool.

You must use an appropriate average and measure of spread and interpret your findings.

[4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

10. The Royal Mint in Llantrisant in South Wales is the body permitted to manufacture the coins of the United Kingdom.



- (a) In March 2013, the Royal Mint estimated the number of coins in circulation.

Coin	Number of coins in circulation (in millions)
£2	394
£1	1526
50p	920
20p	2704
10p	1598
5p	3813
2p	6600
1p	11 293

One particular coin is selected.

The total **value** of the coins in circulation of this selected coin was greater than for any other coin.

Which coin was selected?

Circle your answer.

[1]

£2 coin

£1 coin

50p coin

10p coin

1p coin

- (b) Hari has a gold coin.
It weighs 8g.
What does this weigh in kg?
Circle your answer.

[1]

8×10^3 kg

8×10^{-2} kg

8×10^{-3} kg

8^{-2} kg

8^{-3} kg

- (c) How many of these coins could the Royal Mint possibly make from a gold bar weighing 2460g?
Circle your answer.

[1]

30


307

310

308

3075

12. The box-and-whisker plot shows information about the height, in feet, of waves measured at a beach on a particular day.



- (a) About what fraction of the waves measured were less than 6 feet? [1]


.....

.....

- (b) Circle either TRUE or FALSE for each of the following statements. [2]

The smallest wave measured was 5 feet.	TRUE	FALSE
The range of the heights of the waves measured was 6.5 feet.	TRUE	FALSE
Approximately a half of the waves measured were more than 9.5 feet.	TRUE	FALSE
Approximately a quarter of the waves measured were between 6 feet and 9.5 feet.	TRUE	FALSE
The biggest wave measured was 12.25 feet.	TRUE	FALSE

13. Ffion has organised a conference in the *Hafod Hotel*.
The hotel has given Ffion a graph to illustrate the costs for room hire with refreshments for different numbers of people.



- (a) (i) Calculate the gradient of the straight line graph. [2]

.....

.....

.....

.....

- (ii) Explain what the gradient tells you about the conference costs. [1]

.....

.....

.....

- (iii) The straight line graph intersects the vertical axis at £300.
Explain what this tells you about the conference costs. [1]

.....

.....

.....

- (b) 20 more people arrived at the conference than Ffion had expected.
The hotel prepared extra food and set out more chairs in the conference room.
Calculate how much **extra** Ffion has to pay the hotel. [1]

.....

.....

.....

Candidate Name	Centre Number					Candidate Number				
						0				



GCSE

MATHEMATICS - NUMERACY

UNIT 1: NON-CALCULATOR
FOUNDATION TIER

SPECIMEN PAPER SUMMER 2017

1 HOUR 30 MINUTES

ADDITIONAL MATERIALS

The use of a calculator is not permitted in this examination.
A ruler, protractor and a pair of compasses may be required.

INSTRUCTIONS TO CANDIDATES

Write your name, centre number and candidate number in the spaces at the top of this page.

Answer **all** the questions in the spaces provided in this booklet.

Take π as 3.14.

INFORMATION FOR CANDIDATES

You should give details of your method of solution when appropriate.

Unless stated, diagrams are not drawn to scale.

Scale drawing solutions will not be acceptable where you are asked to calculate.


The number of marks is given in brackets at the end of each question or part-question.

The assessment will take into account the quality of your linguistic and mathematical organisation, communication and accuracy in writing in question 3(c).

For Examiner's use only		
Question	Maximum Mark	Mark Awarded
1.	7	
2.	7	
3.	13	
4.	7	
5.	4	
6.	5	
7.	4	
8.	4	
9.	9	
10.	5	
TOTAL	65	

Formula list

Area of a trapezium = $\frac{1}{2}(a+b)h$



1. The table below shows the number of athletic medals won by 5 countries in the 2014 Glasgow Commonwealth Games. One of the entries is missing.

Country		Gold	Silver	Bronze	Total
	AUSTRALIA	8	1	3	12
	SCOTLAND	1	2	1	4
	CANADA	5	2	10	17
	JAMAICA	10	3		19
	WALES	0	2	1	3






- (a) Complete the table to show the number of athletic Bronze medals that were won by Jamaica. [1]

.....

.....

- (b) Draw a pictogram to represent the **Total** number of medals won by each of the 5 countries. You must decide on an appropriate key, making it clear how many medals each symbol represents. [4]

KEY:

Country		
	AUSTRALIA	
	SCOTLAND	
	CANADA	
	JAMAICA	
	WALES	

- (c) The table below shows the total number of medals Wales won (in all sports) in the 5 Commonwealth Games before 2014.

Year and venue	2010 Delhi	2006 Melbourne	2002 Manchester	1998 Kuala Lumpur	1994 Victoria
Number of medals	19	19	31	15	19

- (i) What is the median of the number of medals won by Wales during these 5 Commonwealth Games?
Circle your answer. [1]

31 2002 16 19 Can't tell

- (ii) What is the range of the number of medals won by Wales over these 5 Commonwealth Games?
Circle your answer. [1]

31 2002 16 19 Can't tell


3. The *Hafod Hotel* has 20 bedrooms.

(a) Andrew is the deputy manager. He is calculating the cost of buying 20 new single beds.



Single bed £230

Andrew writes out a sum with £230 written 20 times.



Describe a better method that Andrew could use to calculate the cost of 20 beds at £230 each.

Work out the total cost of these 20 beds using your suggested method. [2]

Method:

.....

.....

.....

.....

.....

Total cost of 20 beds = £.....

(b) Iona is the hotel manager. Iona says that 2 single beds are needed for each bedroom, so the hotel needs 40 new single beds not 20.

Describe the quickest way for Andrew to now work out the total cost of the 40 beds.

Write down the total cost of 40 beds. [2]

Method:

.....

.....

Total cost of 40 beds = £.....

4. (a) The *Hafod Hotel* has a small swimming pool for the use of guests. The pool has 4 vertical sides and a rectangular horizontal floor.

The width of the floor of the pool is 10 metres and the length is 20 metres.




Diagram not drawn to scale

- (i) Sealant is to be applied around the perimeter of the floor of the swimming pool.
 What is the perimeter of the floor of the swimming pool?
 Circle your answer.

[1]


30 metres 200 metres 60 metres 3000 cm 50 metres

- (ii) The floor of the swimming pool is to be painted with a waterproof coating.
 Calculate the area of the floor of the swimming pool.

[2]

.....

- (b) The hotel would like to make the letter H using tiles in the **centre of the floor** of the swimming pool.



A plan is shown below.

Complete the plan by inserting all the missing measurements.

[4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....




Diagram not drawn to scale

5. Martina walks **650 metres due North**.

She then turns **right through an angle of 37°** and then walks a further **500 metres in a straight line**.

Using a scale of **1cm to represent 100 m**, draw an accurate scale drawing to show the above information.

The starting point is given.


Use your completed drawing to find the actual distance Martina is away from her starting point. [4]



Actual distance from the starting point =

6. The travel graph below illustrates Robbie's journey to and from school one day.

Distance from Robbie's house (miles)



- (a) (i) At what time did Robbie arrive at school?
Circle your answer.

[1]

8:00 a.m. 8:30 a.m. 3:30 p.m. 8:50 a.m. 9:00 a.m.

- (ii) At what time was Robbie furthest away from his house?
Circle your answer.

[1]

12:15 p.m. 6 p.m. 12:30 p.m. 3:30 p.m. 12 noon

(iii) Which one of the following statements is correct?
Circle your answer. [1]

A Robbie's average speed was greater between 8 a.m. and 9 a.m. than it was between 5 p.m. and 6 p.m.

B Robbie's average speed was the same between 8 a.m. and 9 a.m. as it was between 5 p.m. and 6 p.m.

C Robbie's average speed was less between 8 a.m. and 9 a.m. than it was between 5 p.m. and 6 p.m.

D It is not possible to tell anything about Robbie's average speed between 8 a.m. and 9 a.m. or between 5 p.m. and 6 p.m. from the information given.

(b) The travel graph shown is correct.
Robbie is 11 years old and tells his teacher,

'I walked to school, but actually had to run fast for the last 15 minutes to get there on time.'

'I didn't leave the school classroom all day.'

For each of Robbie's statements, decide whether he was telling the truth or not.

You must give a reason for each of your answers below:

(i) 'I walked to school but I ran for the last 15 minutes.'

Is this true? Put a tick in the box: Yes No [1]
Reason:

.....
.....
.....

(ii) 'I stayed in the classroom all day.'

Is this true? Put a tick in the box: Yes No [1]
Reason:

.....
.....
.....

8. Hari lives in Chester.
 He wanted to catch the ferry to Ireland, leaving Holyhead at 12:05 p.m.
 Passengers must board the ferry at least 30 minutes before sailing time.

In planning his journey, he allowed himself 20 minutes to travel from the station at Holyhead to the ferry.

He wanted to catch the latest possible train from Chester to be sure of arriving on board the ferry in time.

Part of the train timetable he used is shown below.

Chester (depart)	07:19	08:55	09:58	10:24
Holyhead (arrival)	09:22	10:35	11:22	12:23

Hari caught the train he wanted, and the train arrived at Holyhead station on time.
 The time to travel from the station to the ferry took a total of 25 minutes.

Calculate the total time taken between Hari departing from Chester and arriving at the ferry. [4]

.....

.....

.....

.....

.....

.....


.....

.....


Time taken =

9. Nerys takes her 3 cousins, Ben, Elwyn and Denny, to an aquarium in North Wales.

(a) Denny records estimates for the length and width of some of the fish he sees at the aquarium.



He draws a scatter diagram as shown below.



(i) One of the fish is 4 cm wide.
Write down its length. [1]

..... cm

(ii) Another fish is 14 cm long.
Write down its width. [1]

..... cm

(iii) The width of a yellow fish is exactly the same as its length.
Indicate on the scatter diagram which point you think represents the yellow fish. [1]

(b)

Remember:
14 pounds = 1 stone
1 kg \approx 2.2 pounds



Nerys sees a very big fish.

She is told it weighs 15 kg.

Nerys herself weighs 9 stone 4 pounds.

Complete the following sentence.

[6]

Nerys weighs approximately times as much as the fish.

.....

.....

.....

.....

.....

.....

10. 208 visitors to Cardiff completed a questionnaire.

All 208 visitors had visited at least one of the following attractions: Cardiff Castle, the Millennium Stadium and Cardiff Bay.

25 of the visitors had visited Cardiff Castle and the Millennium Stadium and, of these, 15 had visited all three attractions.

91 of the visitors had visited the Millennium Stadium.


88 had visited Cardiff Castle.

101 had visited Cardiff Bay.

Some further information is given on the Venn diagram below.

How many visitors had visited the Millennium Stadium but not Cardiff Castle or Cardiff Bay?

[5]



.....

.....

.....

.....

.....

..... visitors had visited the Millennium Stadium but not Cardiff Castle or Cardiff Bay.

Candidate Name	Centre Number					Candidate Number				
						0				



GCSE

MATHEMATICS - NUMERACY

UNIT 2: CALCULATOR-ALLOWED
HIGHER TIER

SPECIMEN PAPER SUMMER 2017

1 HOUR 45 MINUTES

ADDITIONAL MATERIALS

A calculator will be required for this paper.

A ruler, protractor and a pair of compasses may be required.

INSTRUCTIONS TO CANDIDATES

Write your name, centre number and candidate number in the spaces at the top of this page.

Answer **all** the questions in the spaces provided in this booklet.Take π as 3.14 or use the π button on your calculator.**INFORMATION FOR CANDIDATES**

You should give details of your method of solution when appropriate.

Unless stated, diagrams are not drawn to scale.

Scale drawing solutions will not be acceptable where you are asked to calculate.


The number of marks is given in brackets at the end of each question or part-question.

The assessment will take into account the quality of your linguistic and mathematical organisation, communication and accuracy in writing in question 1.


For Examiner's use only		
Question	Maximum Mark	Mark Awarded
1.	6	
2.	7	
3.	7	
4.	5	
5.	5	
6.	4	
7.	12	
8.	7	
9.	10	
10.	4	
11	13	
TOTAL	80	

Formula list – Higher tier

Area of a trapezium = $\frac{1}{2}(a+b)h$




Volume of a prism = area of cross section \times length




Volume of a sphere = $\frac{4}{3}\pi r^3$

Surface area of a sphere = $4\pi r^2$



Volume of a cone = $\frac{1}{3}\pi r^2 h$

Curved surface area of a cone = $\pi r l$




In any triangle ABC ,

Sine rule: $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$

Cosine rule: $a^2 = b^2 + c^2 - 2bc \cos A$

Area of triangle = $\frac{1}{2}ab \sin C$



The Quadratic Equation

The solutions of $ax^2 + bx + c = 0$ where $a \neq 0$ are given by $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$

Annual Equivalent Rate (AER)

AER, as a decimal, is calculated using the formula $\left(1 + \frac{i}{n}\right)^n - 1$, where i is the nominal interest rate per annum as a decimal and n is the number of compounding periods per annum.

2. Layla is investigating how much people would be prepared to pay for a bottle of water at an Eisteddfod.



Amount of money (£x)	Number of people
$0 \leq x < 1$	12
$1 \leq x < 2$	44
$2 \leq x < 3$	20
$3 \leq x < 4$	4

She asked a number of people at a concert on Monday how much they would be prepared to pay.

Monday's results are summarised in the table.

- (a) Calculate an estimate for the mean amount of money that a person would be prepared to pay for a bottle of water. [4]

.....

.....

.....

.....

.....

.....

- (b) Monday was a cool day.
 On Tuesday, it was much warmer.
 Layla asked a further 60 people the same question as she did on Monday.
 On Tuesday, the mean was £2.30.

Use the data collected over the two days to calculate an estimate for the mean amount of money that a person would be prepared to pay for a bottle of water.

Give your answer correct to the nearest penny. [3]

.....

.....

.....

.....

.....

3. Jane and Tomos own a sandwich business.

- (a) They decide to price sandwiches individually each morning.
 At 3 p.m. any unsold sandwiches are reduced by 45%.
 Any sandwiches still unsold by 4:30p.m. are reduced by a further 20%.

Jane says



Tomos disagrees with Jane.

Using multipliers, show that Jane is incorrect. [4]

.....

.....

.....

.....

.....

.....

.....

- (b) Write down and simplify two formulae, in terms of P , to calculate the reduced prices of sandwiches at 3 p.m. and at 4:30 p.m.

Let

- P be the full price of the sandwich.
- T be the price of a sandwich at 3p.m.
- R be the price of a sandwich after 4:30p.m. [3]

.....

.....


.....

.....

.....

.....

4.



Lowri owns an old van.

It has an average fuel consumption of 7 km per litre.

Calculate an estimate for this fuel consumption in miles per gallon.

[5]

.....

.....

.....

.....

.....

.....

6. *NwyCymru* gas company uses the following formula to calculate how much to charge its customers:

$$\text{charge (in pence)} = (U \times 11.546 + D \times 31.48) \times 1.05$$

The number of units of gas used by a customer is **U** and the number of days in the billing period is **D**.

A customer was charged £165.53 over a billing period of 90 days.
Calculate the number of gas units this customer used during this period. [4]

.....

.....

.....

.....

.....

.....

7. Pack4 is a company that makes cardboard boxes.
 (a) One of their boxes, in the shape of a triangular prism, is shown below.




Diagram not drawn to scale

A customer wants a box with a volume of 0.2 litres.

- (i) State by how much the volume is greater or less than 0.2 litres, giving your answer in cm^3 correct to 2 significant figures. [6]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (ii) Explain why this may not be a suitable box for the customer. [1]

.....

.....

.....

.....

- (b) Which two countries have the same population densities to the nearest whole number of people per km²? [1]
 Circle your answer.

India
and
Belgium

Wales
and
Tonga

Singapore
and
Tonga

Wales
and
Belgium


Bermuda
and
Tonga

- (c) If the information in the table had all been given correct to 2 significant figures would this make a difference to your answer in part (a)? [2]

Circle either TRUE or FALSE for each of the following statements.

No difference at all, the answer would be exactly the same.	TRUE	FALSE
One of the countries used in the comparison would be different.	TRUE	FALSE
Both countries used in the comparison would be different.	TRUE	FALSE
The only difference would be in rounding the final answer. Nothing else in the calculation changes.	TRUE	FALSE
You cannot tell whether there would be a difference in the answer in part (a) if the information in the table had all been given correct to 2 significant figures.	TRUE	FALSE

9. *Blodyn Garden Products* makes caps for fence posts.



Blodyn Garden Products wants to make the price of the two different fence caps the same.

So it is important that the volume of metal used to make each cap is the same.

The lengths of the sides of the base of the pyramid are all 8 cm.

The angle between one of the sloping edges and the diagonal of the base is 32° .

(a) Calculate the height of the square-based pyramid cap. [5]

.....

.....

.....

.....

.....

(b) Calculate the volume of the square-based pyramid cap. [2]

.....

.....

.....

.....

.....

(c) Calculate the radius of the hemispherical fence cap. [3]

.....

.....

.....

.....

.....

10. (a) A School Council wants to know pupils' views on their school uniform. Which of the following statements shows how a truly random sample of the general population can be obtained? [1]
Circle your answer.

A: Randomly selecting pupils in the canteen at lunchtime.

B: Randomly selecting pupils from those that attend the next School Council meeting.

C: Randomly selecting pupils with a surname beginning with the letter J.

D: Giving each pupil a raffle ticket and then randomly drawing raffle tickets for selection.

E: Selecting every 2nd pupil from each form register.

- (b) *VotePredict* is a specialist company working in the field of polling and predicting voting patterns in elections worldwide. They are asked to organise a debate with an audience that is representative of five political parties. The five political parties and their predicted number of votes, given in alphabetical order, are as follows.

Political Party	Predicted votes
Central	23 456
Economy	43 244
First Reformists	83 124
Status Quest	11 782
West Term	63 789

The invited audience should be a stratified sample using this information.

It is intended to have 250 people in the audience at the debate. How many people who intend to vote for the Central Party should be in the audience? [3]

.....

.....

.....

.....

.....

11. Imran works for a company called *Derwen Insurance*. His gross salary is £47 840 per year.

Below are extracts from HM Revenue and Customs and details of Imran's company pension scheme:

National Insurance contributions	
•	If you earn more than £153 a week and up to £805 a week, you pay 12% of the amount you earn between £153 and £805
•	If you earn more than £805 a week, you also pay 2% of all your earnings over £805

Source: HMRC 2014

Income tax: Personal Allowance and rates	
Personal Allowance	£10,000 per year
Tax rate	Taxable income <u>above</u> Personal Allowance
Basic tax rate: 20%	on taxable income from £0 up to £31,865
Higher tax rate: 40%	on taxable income from £31,866 to £150,000
Additional tax rate: 45%	on taxable income above £150,000

Source: HMRC 2014

<i>Derwen Insurance</i> Pension Scheme			
Gross salary	Contribution rate	Gross salary	Contribution rate
Up to £13 500	5.5%	£60 001 to £85 000	9.9%
£13 501 to £21 000	5.8%	£85 001 to £100 000	10.5%
£21 001 to £34 000	6.5%	£100 001 to £150 000	11.4%
£34 001 to £43 000	6.8%	£150 001 or more	12.5%
£43 001 to £60 000	8.5%		

Candidate Name	Centre Number					Candidate Number				
						0				



GCSE

MATHEMATICS - NUMERACY

UNIT 2: CALCULATOR-ALLOWED
INTERMEDIATE TIER

SPECIMEN PAPER SUMMER 2017

1 HOUR 45 MINUTES

ADDITIONAL MATERIALS

A calculator will be required for this paper.

A ruler, protractor and a pair of compasses may be required.

INSTRUCTIONS TO CANDIDATES

Write your name, centre number and candidate number in the spaces at the top of this page.

Answer **all** the questions in the spaces provided in this booklet.Take π as 3.14 or use the π button on your calculator.**INFORMATION FOR CANDIDATES**

You should give details of your method of solution when appropriate.

Unless stated, diagrams are not drawn to scale.

Scale drawing solutions will not be acceptable where you are asked to calculate.


The number of marks is given in brackets at the end of each question or part-question.

The assessment will take into account the quality of your linguistic and mathematical organisation, communication and accuracy in writing in question 5(a).


For Examiner's use only		
Question	Maximum Mark	Mark Awarded
1.	7	
2.	2	
3.	4	
4.	3	
5.	9	
6.	4	
7.	6	
8.	6	
9.	4	
10.	7	
11.	7	
12.	7	
13.	5	
14.	5	
15.	4	
TOTAL	80	

Formula list




Area of a trapezium = $\frac{1}{2}(a+b)h$



Volume of a prism = area of cross section \times length



1.

	Grapes £3.40 per kg
	Bananas £2.70 per kg
	Apples £1.80 per kg

(a) The price of 1kg of bananas is due to be increased by either $\frac{1}{3}$ or 30%.

(i) How much would 1kg of bananas cost if the price was increased by $\frac{1}{3}$?

Circle your answer [1]

- £4.05 £3.06 £3.60 £3.51 £2.97

(ii) How much would 1kg of bananas cost if the price was increased by 30%?

Circle your answer. [1]

- £3.15 £10.80 £3.60 £3.51 £2.97

(b) The price of 1kg of apples is to be reduced by $\frac{2}{5}$.

Calculate the new price of 1kg of apples. [2]

.....

.....

.....

(c) The price of peaches is not given in the table.
Rowena buys 0.4kg of grapes and 0.5kg of peaches.
It costs her £3.46 altogether.
What is the price of 1kg of peaches? [3]

.....

.....

.....

.....

2. There were 32 rugby players in the 2013 – 2014 Wales rugby squad. The mean height of these rugby players was 189 cm.

Circle either TRUE or FALSE for each of the following statements.

[2]

All the rugby players in the squad must have been taller than 189 cm.	TRUE	FALSE
If there was a rugby player of height 191 cm in the squad, there must have been a rugby player of height 187 cm.	TRUE	FALSE
The majority of the rugby players in the squad must have been of height 189 cm.	TRUE	FALSE
If some of the rugby players in the squad were taller than 189 cm, then some must have been shorter than 189 cm.	TRUE	FALSE
Half the rugby players in the squad must have been shorter than 189 cm, and half of the rugby players in the squad must have been taller than 189 cm.	TRUE	FALSE

3. Siôn has gone to a travel agent to book a 7-day holiday at a Spanish resort for July 2016.

He has the following two **definite** requirements:

- He can only be away on holiday between 2 July 2016 and 23 July 2016.
- His flight must land in Malaga.

He would like to have as many as possible of the following five **preferred** conditions met:

- To fly from Cardiff Wales Airport.
- Depart on a Monday.
- Departure time to be before 10:00 a.m.
- The hotel to have a 3-star (***) rating.

Using the following information, choose the best two options from the eight holiday packages listed (Package A to Package H).

His definite requirements **must** be met and **as many as possible** of his preferred conditions should also be met. [4]

July 2016						
Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31

Hotel	Star Rating
<i>Castilla</i>	* * *
<i>Nou Sol</i>	* * *
<i>Costa Park</i>	* *
<i>Fiesta</i>	* *

Package	Flights		Depart		Return		Hotel
	From	To	Date	Time	Date	Time	
A	Manchester	Malaga	11/7/16	14:00	18/7/16	23:00	Castilla
B	Manchester	Malaga	4/7/16	09:30	11/7/16	15:00	Nou Sol
C	Manchester	Malaga	5/7/16	06:30	12/7/16	15:00	Costa Park
D	Manchester	Seville	4/7/16	08:00	11/7/16	12:30	Nou Sol
E	Cardiff	Malaga	18/7/16	07:30	25/7/16	14:00	Castilla
F	Cardiff	Malaga	6/7/16	10:05	13/7/16	14:00	Fiesta
G	Cardiff	Malaga	11/7/16	17:00	18/7/16	22:00	Castilla
H	Cardiff	Malaga	9/7/16	09:45	16/7/13	05:30	Costa Park

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....





.....

.....

.....

<p>Allowing for as many of his preferred conditions as possible, the two best options for Siôn are:</p> <p style="text-align: center;">Package and Package</p>
--

4. Look at the four graphs labelled **A**, **B**, **C** and **D**, shown below.




Write down which graph **A**, **B**, **C** or **D**, in each case, is most likely to have the following titles.

[3]

- | | |
|--|-------------|
| 'The number of people in full-time employment.' | Graph |
| 'The number of people who play for a football team.' | Graph |
| 'The number of people who wear glasses.' | Graph |
| 'The number of people who are left-handed.' | Graph |

- (b) Gemma's old tablet had a memory capacity of 16 GB.
 Gemma stored music and videos, photos and applications on her tablet.
 The table and pie chart below show the memory status of her 16 GB tablet.

Music and videos	4 GB
Photos	1.3 GB
Applications	4.5 GB
Free space	6.2 GB



- Music and video
- ▣ Photos
- ▤ Applications
- ▥ Free space

Gemma's new tablet has a memory capacity of 32 GB.
 Gemma transfers the content of her old tablet to the new one.

Which one of the following graphs represents her new tablet's memory status?

[1]

Circle **A**, **B**, **C** or **D**.


<p>A</p> <ul style="list-style-type: none"> ■ Music and video ▣ Photos ▤ Applications ▥ Free space 	<p>B</p> <ul style="list-style-type: none"> ■ Music and video ▣ Photos ▤ Applications ▥ Free space
<p>C</p> <ul style="list-style-type: none"> ■ Music and video ▣ Photos ▤ Applications ▥ Free space 	<p>D</p> <ul style="list-style-type: none"> ■ Music and video ▣ Photos ▤ Applications ▥ Free space

7. The following two pieces of information, given in both kilograms (kg) and pounds (lb), were seen in a cookery magazine.

Use 5 kg (11 lb) of apples. Wash and peel them.

Use 2 lb (0.9 kg) of sugar. Warm the sugar before use.

- (a) Use the information to draw a conversion graph between kilograms and pounds. [3]



- (b) A person weighs 10 stone. (1 stone = 14 lbs)
Use your graph to estimate the weight of this person in kilograms.
Remember to show the method you have used. [3]

.....

.....

.....

.....

.....

10. Pack4 is a company that makes cardboard boxes.
 (a) One of their boxes, in the shape of a triangular prism, is shown below.




Diagram not drawn to scale

A customer wants a box with a volume of 0.2 litres.

State by how much the volume is greater or less than 0.2 litres, giving your answer in cm^3 correct to 2 significant figures. [6]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (b) Explain why this may not be a suitable box for the customer. [1]

.....

.....

.....

.....

11. Layla is investigating how much people would be prepared to pay for a bottle of water at an Eisteddfod.



Amount of money (£x)	Number of people
$0 \leq x < 1$	12
$1 \leq x < 2$	44
$2 \leq x < 3$	20
$3 \leq x < 4$	4

She asked a number of people at a concert on Monday how much they would be prepared to pay.

Monday's results are summarised in the table.

- (a) Calculate an estimate for the mean amount of money that a person would be prepared to pay for a bottle of water. [4]

.....

.....

.....

.....

.....

.....

- (b) Monday was a cool day.
 On Tuesday, it was much warmer.
 Layla asked a further 60 people the same question as she did on Monday.
 On Tuesday the mean was £2.30.

Use the data collected over the two days to calculate an estimate for the mean amount of money that a person would be prepared to pay for a bottle of water.

Give your answer correct to the nearest penny. [3]

.....

.....

.....


.....

.....

12. Jane and Tomos own a sandwich business.

- (a) They decide to price sandwiches individually each morning.
 At 3 p.m. any unsold sandwiches are reduced by 45%.
 Any sandwiches still unsold by 4:30p.m. are reduced by a further 20%.

Jane says



Tomos disagrees with Jane.

Using multipliers, show that Jane is incorrect. [4]

.....

.....

.....

.....

.....

.....

.....

.....

- (b) Write down and simplify two formulae, in terms of P , to calculate the reduced prices of sandwiches at 3 p.m. and at 4:30 p.m.

Let

- P be the full price of the sandwich.
- T be the price of a sandwich at 3p.m.
- R be the price of a sandwich after 4:30p.m. [3]

.....

.....


.....

.....

.....

.....

13.



Lowri owns an old van.
It has an average fuel consumption of 7 km per litre.
Calculate an estimate for this fuel consumption in miles per gallon. [5]

.....

.....

.....

.....

.....

.....

.....

15. *NwyCymru* gas company uses the following formula to calculate how much to charge its customers:

$$\text{charge (in pence)} = (U \times 11.546 + D \times 31.48) \times 1.05$$

The number of units of gas used by a customer is **U** and the number of days in the billing period is **D**.

A customer was charged £165.53 over a billing period of 90 days.
Calculate the number of gas units this customer used during this period. [4]

.....

.....

.....

.....

.....

.....

.....

Candidate Name	Centre Number					Candidate Number				
						0				

**GCSE****MATHEMATICS - NUMERACY****UNIT 2: CALCULATOR-ALLOWED
FOUNDATION TIER****SPECIMEN PAPER SUMMER 2017****1 HOUR 30 MINUTES****ADDITIONAL MATERIALS**

A calculator will be required for this paper.

A ruler, protractor and a pair of compasses may be required.

INSTRUCTIONS TO CANDIDATES

Write your name, centre number and candidate number in the spaces at the top of this page.

Answer **all** the questions in the spaces provided in this booklet.Take π as 3.14 or use the π button on your calculator.**INFORMATION FOR CANDIDATES**

You should give details of your method of solution when appropriate.

Unless stated, diagrams are not drawn to scale.

Scale drawing solutions will not be acceptable where you are asked to calculate.


The number of marks is given in brackets at the end of each question or part-question.

The assessment will take into account the quality of your linguistic and mathematical organisation, communication and accuracy in writing in question 6.

For Examiner's use only		
Question	Maximum Mark	Mark Awarded
1.	7	
2.	3	
3.	6	
4.	4	
5.	5	
6.	7	
7.	7	
8.	2	
9.	4	
10.	3	
11.	7	
12.	4	
13.	6	
TOTAL	65	

Formula list

Area of a trapezium = $\frac{1}{2}(a+b)h$



1. Nicole is planning a charity bike ride.

Nicole has to buy some new equipment so that she can take part in the bike ride. She sees the following items on the Internet.

<p>Pair of Shorts £40.50</p> 	<p>Pair of Gloves £22.49</p> 	<p>Water Bottle £6.12</p> 
<p>Pair of Shoes £79.95</p> 	<p>Helmet £56.50</p> 	<p>Sunglasses £20.79</p> 

(a) Nicole buys a pair of gloves, 3 water bottles, a pair of shoes and 2 pairs of shorts.

Complete the following table to show her bill for these items.

[4]

Item	Cost
Pair of gloves	£22.49
3 water bottles	
Pair of shoes	
2 pairs of shorts	
Total	£

(b) The Internet company gives Nicole a 5% discount off her total bill. How much does Nicole pay for her items after the discount has been given?

[3]


.....

.....

.....

.....

2. Rhys decides to weigh his packed lunch.
The pointer on the first scale shows the weight of his sandwich.
His drink weighs 350 grams.
Draw a pointer on the second scale to show the total weight of his sandwich and his drink. [3]




.....

.....

.....

3. A fruit shop owner is looking at the buying habits of male and female customers. The bar charts show the quantity of fruit sold, in kg, to males and to females separately last Tuesday.



(a) Complete the statements below about the fruit sold last Tuesday. [3]

The total weight of apples sold is kg.

The total weight of grapes, bananas and apples sold to females is kg.

Females bought kg more grapes than males.

.....

.....

.....

.....

.....


- (b) (i) The owner says that the most popular fruit is bananas.
She is incorrect.
What may have misled the owner to say this? [1]

.....
.....
.....

- (ii) Use the graphs, showing your calculations, to convince the owner that she is incorrect. [2]

.....
.....
.....

4. At the end of term, Jac had tests in four of his subjects.
This is what he said about his results



- (a) For Jac to compare all of his results he needs to write them as percentages.
Change his results into percentages and complete the table below. [3]

Subject	Result as a percentage
Mathematics	74%
Welsh	
Science	
English	

.....


.....

.....

- (b) In which subject did Jac have the highest percentage? [1]

.....

5. Horse-racing tracks are often measured in furlongs. The conversion graph below shows furlongs and metres.



- (a) Complete the following statements. [3]

A track measuring 6 furlongs is approximately metres.

A track measuring 4.5 furlongs is approximately metres.




A track measuring 300 metres is approximately furlongs.

- (b) Harry needs to know the length, in metres, of a 10-furlong track. How can the conversion graph be used to help Harry find an answer? You must explain any calculations and give an answer. [2]

.....

10 furlongs is approximately metres

7.

	Grapes £3.40 per kg
	Bananas £2.70 per kg
	Apples £1.80 per kg

(a) The price of 1kg of bananas is due to be increased by either $\frac{1}{3}$ or 30%.

(i) How much would 1kg of bananas cost if the price was increased by $\frac{1}{3}$?

Circle your answer

[1]

- £4.05 £3.06 £3.60 £3.51 £2.97

(iii) How much would 1kg of bananas cost if the price was increased by 30%?

Circle your answer.

[1]

- £3.15 £10.80 £3.60 £3.51 £2.97

(b) The price of 1kg of apples is to be reduced by $\frac{2}{5}$.

Calculate the new price of 1kg of apples.

[2]

.....

.....

.....

(c) The price of peaches is not given in the table.
Rowena buys 0.4kg of grapes and 0.5kg of peaches.
It costs her £3.46 altogether.
What is the price of 1kg of peaches?

[3]

.....

.....

.....

.....

8. There were 32 rugby players in the 2013-2014 Wales rugby squad.
The mean height of these rugby players was 189 cm.

Circle either TRUE or FALSE for each of the following statements.

[2]

All the rugby players in the squad must have been taller than 189 cm.	TRUE	FALSE
If there was a rugby player of height 191 cm in the squad, there must have been a rugby player of height 187 cm.	TRUE	FALSE
The majority of the rugby players in the squad must have been of height 189 cm.	TRUE	FALSE
If some of the rugby players in the squad were taller than 189 cm, then some must have been shorter than 189 cm.	TRUE	FALSE
Half the rugby players in the squad must have been shorter than 189 cm, and half of the rugby players in the squad must have been taller than 189 cm.	TRUE	FALSE

9. Siôn has gone to a travel agent to book a 7-day holiday at a Spanish resort for July 2016.

He has the following two **definite** requirements:

- He can only be away on holiday between 2 July 2016 and 23 July 2016.
- His flight must land in Malaga.

He would like to have as many as possible of the following five **preferred** conditions met:

- To fly from Cardiff Wales Airport.
- Depart on a Monday.
- Departure time to be before 10:00 a.m.
- The hotel to have a 3-star (***) rating.

Using the following information, choose the best two options from the eight holiday packages listed (Package A to Package H).

His definite requirements **must** be met and **as many as possible** of his preferred conditions should also be met. [4]

July 2016						
Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31

Hotel	Star Rating
<i>Castilla</i>	* * *
<i>Nou Sol</i>	* * *
<i>Costa Park</i>	* *
<i>Fiesta</i>	* *

Package	Flights		Depart		Return		Hotel
	From	To	Date	Time	Date	Time	
A	Manchester	Malaga	11/7/16	14:00	18/7/16	23:00	<i>Castilla</i>
B	Manchester	Malaga	4/7/16	09:30	11/7/16	15:00	<i>Nou Sol</i>
C	Manchester	Malaga	5/7/16	06:30	12/7/16	15:00	<i>Costa Park</i>
D	Manchester	Seville	4/7/16	08:00	11/7/16	12:30	<i>Nou Sol</i>
E	Cardiff	Malaga	18/7/16	07:30	25/7/16	14:00	<i>Castilla</i>
F	Cardiff	Malaga	6/7/16	10:05	13/7/16	14:00	<i>Fiesta</i>
G	Cardiff	Malaga	11/7/16	17:00	18/7/16	22:00	<i>Castilla</i>
H	Cardiff	Malaga	9/7/16	09:45	16/7/13	05:30	<i>Costa Park</i>

.....

.....

.....

.....

.....

.....

.....

.....





.....

.....

Allowing for as many of his preferred conditions as possible, the two best options for Siôn are:

Package and Package

10. Look at the four graphs labelled **A**, **B**, **C** and **D**, shown below.




Write down which graph **A**, **B**, **C** or **D**, in each case, is most likely to have the following titles.

[3]

- | | |
|--|-------------|
| 'The number of people in full-time employment.' | Graph |
| 'The number of people who play for a football team.' | Graph |
| 'The number of people who wear glasses.' | Graph |
| 'The number of people who are left-handed.' | Graph |

(b) Gemma's old tablet had a memory capacity of 16 GB.
 Gemma stored music and videos, photos and applications on her tablet.
 The table and pie chart below show the memory status of her 16 GB tablet.

Music and videos	4 GB
Photos	1.3 GB
Applications	4.5 GB
Free space	6.2 GB



- Music and video
- ▣ Photos
- ▤ Applications
- ▥ Free space

Gemma's new tablet has a memory capacity of 32 GB.
 Gemma transfers the content of her old tablet to the new one.

Which one of the following graphs represents her new tablet's memory status? [1]
 Circle **A**, **B**, **C** or **D**.

<p>A</p> <ul style="list-style-type: none"> ■ Music and video ▣ Photos ▤ Applications ▥ Free space 	<p>B</p> <ul style="list-style-type: none"> ■ Music and video ▣ Photos ▤ Applications ▥ Free space
<p>C</p> <ul style="list-style-type: none"> ■ Music and video ▣ Photos ▤ Applications ▥ Free space 	<p>D</p> <ul style="list-style-type: none"> ■ Music and video ▣ Photos ▤ Applications ▥ Free space

MARKING SCHEMES

UNIT 1: NON-CALCULATOR, HIGHER TIER
GENERAL INSTRUCTIONS for MARKING GCSE Mathematics - Numeracy

1. The mark scheme should be applied precisely and no departure made from it. Marks should be awarded directly as indicated and no further subdivision made.
2. Marking Abbreviations
The following may be used in marking schemes or in the marking of scripts to indicate reasons for the marks awarded.
cao = correct answer only
MR = misread
PA = premature approximation
bod = benefit of doubt
oe = or equivalent
si = seen or implied
ISW = ignore subsequent working

F.T. = follow through (✓ indicates correct working following an error and ✘ indicates a further error has been made)

Anything given in brackets in the marking scheme is expected but, not required, to gain credit.
3. Premature Approximation
A candidate who approximates prematurely and then proceeds correctly to a final answer loses 1 mark as directed by the Principal Examiner.
4. Misreads
When the data of a question is misread in such a way as not to alter the aim or difficulty of a question, follow through the working and allot marks for the candidates' answers as on the scheme using the new data.
This is only applicable if a wrong value, is used consistently throughout a solution; if the correct value appears anywhere, the solution is not classed as MR (but may, of course, still earn other marks).
5. Marking codes
 - 'M' marks are awarded for any correct method applied to appropriate working, even though a numerical error may be involved. Once earned they cannot be lost.
 - 'm' marks are dependant method marks. They are only given if the relevant previous 'M' mark has been earned.
 - 'A' marks are given for a numerically correct stage, for a correct result or for an answer lying within a specified range. They are only given if the relevant M/m mark has been earned either explicitly or by inference from the correct answer.
 - 'B' marks are independent of method and are usually awarded for an accurate result or statement.
 - 'S' marks are awarded for strategy
 - 'E' marks are awarded for explanation
 - 'U' marks are awarded for units
 - 'P' marks are awarded for plotting points
 - 'C' marks are awarded for drawing curves

UNIT 1: NON-CALCULATOR, HIGHER TIER

GCSE Mathematics – Numeracy Unit 1: Higher Tier	Mark	Comment									
<p>1. Perpendicular bisector Stornaway and Ullapool ($\pm 2^\circ$) Use of correct scale (1cm = 10 miles)</p> <p>Arc from Portree 30 miles shown as approximately 3x distance Muir to Dingwell (i.e. 3cm) Free hand distance 10 miles off shore (i.e. 1cm) Indication of possible sightings</p> <p>Range of bearing $\pm 2^\circ$</p>	<p>B1</p> <p>B1</p> <p>B1</p> <p>B1</p> <p>B1</p> <p>B2</p> <p>7</p>	<p>Award for use of 3cm in arc or 1cm in free hand drawing below</p> <p>FT their Muir to Dingwall distance FT for attempted perpendicular and arc only FT provided at least B2 previously awarded B1 for any 1 bearing within the correct range</p>									
<p>2.(a) Area of ends: $10 \times 1 + 10 \times 3$ Area of the floor: 20.1×10 Vertical sides with slopes: $\frac{1}{2} \times 20 \times (1+3) \times 2$ Total surface area of 5 faces: $10 \times 1 + 10 \times 3 + 20.1 \times 10 + 2 \times \frac{1}{2} \times 20 \times (1+3)$</p> <p>$(10 + 30 + 201 + 80 \text{ or } 10 + 30 + 201 + 40 + 40 =)$ $321 \text{ (m}^2\text{)}$</p> <p>Total cost £ $321 \times 20 + 6 \times 150$ $(\text{£})7320$</p> <p>2(b)(i) $> \text{£}140$: with pool $120 - 105 (=15)$ AND without pool $120 - 115 (=5)$ 10 (hotels)</p> <p>(ii)</p> <table border="1"> <thead> <tr> <th></th> <th>Median (£)</th> <th>IQR (£)</th> </tr> </thead> <tbody> <tr> <td>With pool</td> <td>108</td> <td>$(130 - 74 =)$ 56</td> </tr> <tr> <td>Without pool</td> <td>74</td> <td>$(90 - 66 =)$ 24</td> </tr> </tbody> </table> <p>Interpretation must refer to the greater spread AND greater median of prices in hotels with a pool or equivalent e.g. The prices are generally lower and less varied in hotels without pools.</p>		Median (£)	IQR (£)	With pool	108	$(130 - 74 =)$ 56	Without pool	74	$(90 - 66 =)$ 24	<p>B1</p> <p>B1</p> <p>B1</p> <p>M1</p> <p>A2</p> <p>M1</p> <p>A1</p> <p>M1</p> <p>A1</p> <p>B3</p> <p>E1</p> <p>14</p>	<p>May be seen with a calculation $\times \text{£}25$ FT their 5 faces provided at least B2 previously awarded.</p> <p>A1 for at least 3 areas accurately evaluated in a sum of areas of 5 sides FT 'their derived 321'</p> <p>Medians and IQRs correct B2 for any 3 of the 4 correct B1 for any 1 or 2 of the 4 correct</p> <p>Depends on previous award of at least B2</p>
	Median (£)	IQR (£)									
With pool	108	$(130 - 74 =)$ 56									
Without pool	74	$(90 - 66 =)$ 24									
<p>3.(a) £1 coin (b) 8×10^{-3} (c) 307 (d) $3860 \div 200$</p> <p>$19.3 \text{ (g/cm}^3\text{)}$</p>	<p>B1</p> <p>B1</p> <p>B1</p> <p>M2</p> <p>A1</p> <p>6</p>	<p>M1 for digits 3860 divided by 200 with incorrect place value</p>									
<p>4. $4 \times \frac{1}{3}$ or equivalent $\times 2\frac{1}{2}$ or equivalent. $= 20/6$(hrs) or equivalent OR 200(min) $= 3\text{hrs } 20 \text{ min.}$</p>	<p>M1</p> <p>M1</p> <p>A1</p> <p>A1</p> <p>4</p>	<p>Do not accept $20 \div 6$. F.T. if at least one M1 and of equivalent difficulty. <i>If question is misread as 'It took Machine A 4 hoursHow long did it take Machine B.....?'</i> Award SC1 for $(4 \times 3) / 2\frac{1}{2}$ or 4.8 hours and a further SC1 for 4hrs 48min.</p>									


GCSE Mathematics – Numeracy Unit 1: Higher Tier	Mark	Comment
5.(a) $\frac{1}{4}$ or equivalent (b) TRUE FALSE TRUE TRUE FALSE	B1 B2 3	B1 for any 4 correct
6.(a)(i) $(800 - 300) / 50$ = 10 (ii) Explanation, e.g. 'extra cost per person', '£10 per person', '£100 extra for every 10 people' (iii) Explanation, e.g. 'fixed charge' (b) (£)200	M1 A1 E1 E1 B1 5	Or equivalent Do not accept 'more people the more paid' FT from their gradient if reasonable Accept 'conference cost starts at £300', or 'hire cost' CAO
7.(a) Using ratio 30 : 1 or equivalent. (Ratio of areas =) 900 : 1 or equivalent. (Area of large logo =) 5×900 (= 4500cm ²) (Cost =) (£)200 \times 0.45 (£) 90 Organisation and communication Accuracy of writing (b)(i) Perimeter = $a - 5b + 2c - d$ (ii) Area = $a(5b + 2c - d)$	B1 M1 m1 m1 A1 OC1 W1 B1 B1 9	Allow M1 for sight of 270 : 9 or equivalent notation. F.T. '(their length ratio) ²).
8. (a) Tangent at $t = 30$ Use of difference in v / difference in t Acceleration (reasonable for their tangent) m/s^2 or ms^{-2} (b) Use of area under the curve from 0 to 30 seconds Correct method, including $\frac{1}{2} \times 4 \times 30$ or $\frac{1}{2} \times 5 \times 30$ Correct answer to calculation, e.g. 60(m) to 75(m)	M1 M1 A1 U1 S1 M1 A1 7	Accept with or without sight of a tangent Must be evaluated from their tangent Independent <i>Treat area 0 to 50 seconds as MR-1 then FT</i> Accept any suitable calculation for 1 or more blocks of area If units are given they must be correct <i>Trapezium rule (approximate values)</i> $10 \times [0 + 4.4 + 2(1.75 + 3.4)] / 2 = 73.5(m)$
9. (a) Frequency density = 1 indicated on graph (b) FALSE TRUE FALSE FALSE FALSE (c) Total number of pupils: $5 \times 2 + 14 \times 0.5 + 10 \times 0.5 + 6 \times 1 + 4 \times 1 + 1 \times 2$ 34 5 to 7 seconds total number: $(14 \times 0.5 + 10 \times 0.5 + 6 \times 1 =) 18$ Convincing 60% of 34 = 20.4 which is > 18 or 18 is 60% of 30, so it's less than 60% of 34.	B2 B2 M1 A1 B1 B1 8	B1 for sight of 1 or $2 \div 2$ B1 for 4 correct (10 + 7 + 5 + 6 + 4 + 2) FT provided at least 2 of the 3 correct FT provided similar difficulty <i>Alternative method</i> $18/34 \approx 0.529... \text{ or } 52.9\% < 60\%$

UNIT 1: NON-CALCULATOR, INTERMEDIATE TIER
GENERAL INSTRUCTIONS for MARKING GCSE Mathematics - Numeracy

1. The mark scheme should be applied precisely and no departure made from it. Marks should be awarded directly as indicated and no further subdivision made.
2. Marking Abbreviations
 The following may be used in marking schemes or in the marking of scripts to indicate reasons for the marks awarded.
 cao = correct answer only
 MR = misread
 PA = premature approximation
 bod = benefit of doubt
 oe = or equivalent
 si = seen or implied
 ISW = ignore subsequent working

 F.T. = follow through (✓ indicates correct working following an error and ✘ indicates a further error has been made)

 Anything given in brackets in the marking scheme is expected but, not required, to gain credit.
3. Premature Approximation
 A candidate who approximates prematurely and then proceeds correctly to a final answer loses 1 mark as directed by the Principal Examiner.
4. Misreads
 When the data of a question is misread in such a way as not to alter the aim or difficulty of a question, follow through the working and allot marks for the candidates' answers as on the scheme using the new data.
 This is only applicable if a wrong value, is used consistently throughout a solution; if the correct value appears anywhere, the solution is not classed as MR (but may, of course, still earn other marks).
5. Marking codes
 - 'M' marks are awarded for any correct method applied to appropriate working, even though a numerical error may be involved. Once earned they cannot be lost.
 - 'm' marks are dependant method marks. They are only given if the relevant previous 'M' mark has been earned.
 - 'A' marks are given for a numerically correct stage, for a correct result or for an answer lying within a specified range. They are only given if the relevant M/m mark has been earned either explicitly or by inference from the correct answer.
 - 'B' marks are independent of method and are usually awarded for an accurate result or statement.
 - 'S' marks are awarded for strategy
 - 'E' marks are awarded for explanation
 - 'U' marks are awarded for units
 - 'P' marks are awarded for plotting points
 - 'C' marks are awarded for drawing curves

GCSE Mathematics – Numeracy Unit 1: Intermediate Tier	Mark	Comment									
<p>6.(a)(i) 11 (cm) (ii) 6 (cm) (iii) 6cm wide and 6cm length indicated</p> <p>(b) (9 stone 4 pounds =) $9 \times 14 + 4$ 130 (pounds) 15×2.2 33 (pounds) Comparison, e.g. $130 \div 33$ or multiples of 33 (33, 66, 99, ...) Completes sentence with '4'</p>	<p>B1 B1 B1</p> <p>M1 A1 M1 A1 B1</p> <p>B1 9</p>	<p>OR $130 \div 2.2$ (kg) ≈ 59 (kg) OR $59 \div 15$ or $60 \div 15$ or multiples of 15 (15, 30, 45, ...)</p>									
<p>7. 52 visited the Millennium Stadium but not Cardiff Castle or Cardiff Bay</p> 	<p>B5</p> <p>5</p>	<p>B4 for 4 correct entries B3 for 3 correct entries B2 for 2 correct entries B1 for 1 correct entry F.T. from previous entries until second error <i>Award B3 if an answer of 22 (25 is used instead of 10 giving 3, 29 and an answer of 22).</i></p>									
<p>8. Perpendicular bisector Stornaway and Ullapool ($\pm 2^\circ$) Use of correct scale (1cm = 10 miles)</p> <p>Arc from Portree 30 miles shown as approximately 3x distance Muir to Dingwell (i.e. 3cm)</p> <p>Free hand distance 10 miles off shore (i.e. 1cm) Indication of possible sightings</p> <p>Range of bearing $\pm 2^\circ$</p>	<p>B1</p> <p>B1</p> <p>B1</p> <p>B1</p> <p>B1</p> <p>B2</p> <p>7</p>	<p>Award for use of 3cm in arc or 1cm in free hand drawing below</p> <p>FT their Muir to Dingwall distance FT for attempted perpendicular and arc only FT provided at least B2 previously awarded B1 for any 1 bearing within the correct range</p>									
<p>9.(a) Area of ends: $10 \times 1 + 10 \times 3$ Area of the floor: 20.1×10 Vertical sides with slopes: $\frac{1}{2} \times 20 \times (1+3) \times 2$ Total surface area of 5 faces: $10 \times 1 + 10 \times 3 + 20.1 \times 10 + 2 \times \frac{1}{2} \times 20 \times (1+3)$ $(10 + 30 + 201 + 80$ or $10 + 30 + 201 + 40 + 40 =)$ 321 (m²)</p> <p>Total cost £ $321 \times 20 + 6 \times 150$ (£)7320</p> <p>(b) (i) >£140: with pool $120 - 105 (=15)$ AND without pool $120 - 115 (=5)$ 10 (hotels)</p> <p>(ii)</p> <table border="1" data-bbox="240 1756 778 1899"> <thead> <tr> <th></th> <th>Median (£)</th> <th>IQR (£)</th> </tr> </thead> <tbody> <tr> <td>With pool</td> <td>108</td> <td>$(130 - 74 =)$ 56</td> </tr> <tr> <td>Without pool</td> <td>74</td> <td>$(90 - 66 =)$ 24</td> </tr> </tbody> </table> <p>Interpretation must refer to the greater spread AND greater median of prices in hotels with a pool or equivalent e.g. The prices are generally lower and less varied in hotels without pools.</p>		Median (£)	IQR (£)	With pool	108	$(130 - 74 =)$ 56	Without pool	74	$(90 - 66 =)$ 24	<p>B1 B1 B1 M1</p> <p>A2</p> <p>M1 A1</p> <p>M1 A1</p> <p>B3</p> <p>E1</p> <p>14</p>	<p>May be seen with a calculation $\times \text{£}25$ FT their 5 faces provided at least B2 previously awarded.</p> <p>A1 for at least 3 areas accurately evaluated in a sum of areas of 5 sides FT 'their derived 321'</p> <p>Medians and IQRs correct B2 for any 3 of the 4 correct B1 for any 1 or 2 of the 4 correct</p> <p>Depends on previous award of at least B2</p>
	Median (£)	IQR (£)									
With pool	108	$(130 - 74 =)$ 56									
Without pool	74	$(90 - 66 =)$ 24									

GCSE Mathematics – Numeracy Unit 1: Intermediate Tier	Mark	Comment
10. (a) £1 coin (b) 8×10^{-3} (c) 307 (d) $3860 \div 200$ $19.3 \text{ (g/cm}^3\text{)}$	B1 B1 B1 M2 A1 6	M1 for digits 3860 divided by 200 with incorrect place value
11. $4 \times \frac{1}{3}$ or equivalent $\times 2\frac{1}{2}$ or equivalent. $= 20/6$ (hrs) or equivalent OR 200(min) $= 3\text{hrs } 20 \text{ min.}$	M1 M1 A1 A1 4	Do not accept $20 \div 6$. F.T. if at least one M1 and of equivalent difficulty. <i>If question is misread as 'It took Machine A 4 hoursHow long did it take Machine B.....?'</i> Award SC1 for $(4 \times 3) / 2\frac{1}{2}$ or 4.8 hours and a further SC1 for 4hrs 48min.
12(a) $\frac{1}{4}$ or equivalent (b) TRUE FALSE TRUE TRUE FALSE	B1 B2 3	B1 for any 4 correct
13.(a)(i) $(800 - 300) / 50$ $= 10$ (ii) Explanation, e.g. 'extra cost per person', '£10 per person', '£100 extra for every 10 people' (iii) Explanation, e.g. 'fixed charge' (b) (£)200	M1 A1 E1 E1 B1 5	Or equivalent Do not accept 'more people the more paid' FT from their gradient if reasonable Accept 'conference cost starts at £300', or 'hire cost' CAO


UNIT 1: NON-CALCULATOR, FOUNDATION TIER
GENERAL INSTRUCTIONS for MARKING GCSE Mathematics - Numeracy

1. The mark scheme should be applied precisely and no departure made from it. Marks should be awarded directly as indicated and no further subdivision made.
2. Marking Abbreviations
 The following may be used in marking schemes or in the marking of scripts to indicate reasons for the marks awarded.
 cao = correct answer only
 MR = misread
 PA = premature approximation
 bod = benefit of doubt
 oe = or equivalent
 si = seen or implied
 ISW = ignore subsequent working

 F.T. = follow through (✓ indicates correct working following an error and ✘ indicates a further error has been made)

 Anything given in brackets in the marking scheme is expected but, not required, to gain credit.
3. Premature Approximation
 A candidate who approximates prematurely and then proceeds correctly to a final answer loses 1 mark as directed by the Principal Examiner.
4. Misreads
 When the data of a question is misread in such a way as not to alter the aim or difficulty of a question, follow through the working and allot marks for the candidates' answers as on the scheme using the new data.
 This is only applicable if a wrong value, is used consistently throughout a solution; if the correct value appears anywhere, the solution is not classed as MR (but may, of course, still earn other marks).
5. Marking codes
 - 'M' marks are awarded for any correct method applied to appropriate working, even though a numerical error may be involved. Once earned they cannot be lost.
 - 'm' marks are dependant method marks. They are only given if the relevant previous 'M' mark has been earned.
 - 'A' marks are given for a numerically correct stage, for a correct result or for an answer lying within a specified range. They are only given if the relevant M/m mark has been earned either explicitly or by inference from the correct answer.
 - 'B' marks are independent of method and are usually awarded for an accurate result or statement.
 - 'S' marks are awarded for strategy
 - 'E' marks are awarded for explanation
 - 'U' marks are awarded for units
 - 'P' marks are awarded for plotting points
 - 'C' marks are awarded for drawing curves

GCSE Mathematics – Numeracy Unit 1: Foundation Tier	Mark	Comment
4. (a)(i) 60 metres (ii) 10×20 $200 \text{ (m}^2\text{)}$ (b)	B1 M1 A1 B1 B1 B1 B1 7	Equal values for 'their 3s' and 'their 7s' Both 3s Both 7s 9.5 or FT 'their 7'+ 2.5 evaluated
5. Lines of length 6.5cm AND 5cm. Angle of turn 37° 1090 metres or equivalent	B1 B1 B2 4	Allow $\pm 2\text{mm}$ and $\pm 2^\circ$. F.T. 'their length from start' $\times 100$. Correct units must be given. B1 for correct length without units. B1 for length only <u>with incorrect units</u> (e.g. 10.9cm or 11cm).
6.(a) (i) 9:00 a.m. (ii) 12:30 p.m. (iii) A (b)(i) States or implies NO with a reason, e.g. 'No, the slope is the same from 8am to 9am' (ii) States or implies NO with a reason, e.g. 'No, the graph shows a further distance away from home between 12 noon and 1 p.m.'	B1 B1 B1 E1 E1 5	
7. (Laura's share =) $\frac{1}{2} \times \frac{3}{4} \times (\pounds)8000$ $(\pounds)3000$ Conclusion, '£200 profit'	M2 A1 B1 4	Award M1 for sight of $\frac{1}{2} \times \frac{3}{4}$ or $\frac{3}{8}$ FT conclusion provided at least M1 awarded
8. 08:55 train from Chester chosen. Attempt to find time difference between 10:35 and 08:55 $= 1(\text{hr}) 40(\text{min})$ or $100(\text{min})$ (So total time \Rightarrow) $2(\text{hr}) 5(\text{min})$ or equivalent.	B1 M1 A1 B1 4	May be implied in further work. F.T. for 'their chosen train' (Other trains take 2hr 3m, 1hr 24m, 1hr 59m) F.T. time for 'their train journey' + 25min. <i>Alternative method</i> (Arrives at Holyhead station) 10:35 B1 F.T. 'their train arrival' + 25min (Arrives at ferry) 11:00 B1 F.T. 'their times' Attempt to find time difference between 11:00 and 08:55 M1 (So total time \Rightarrow) 2(hr) 5 (min) or equivalent. A1

GCSE Mathematics – Numeracy Unit 1: Foundation Tier	Mark	Comment
<p>9.(a)(i) 11 (cm) (ii) 6 (cm) (iii) 6cm wide and 6cm length indicated</p> <p>(b) (9 stone 4 pounds =) $9 \times 14 + 4$ 130 (pounds) 15×2.2 33 (pounds) Comparison, e.g. $130 \div 33$ or multiples of 33 (33, 66, 99, ...) Completes sentence with '4'</p>	<p>B1 B1 B1</p> <p>M1 A1 M1 A1 B1</p> <p>B1 9</p>	<p>OR $130 \div 2.2$ (kg) ≈ 59 (kg) OR $59 \div 15$ or $60 \div 15$ or multiples of 15 (15, 30, 45, ...)</p>
<p>10. 52 visited the Millennium Stadium but not Cardiff Castle or Cardiff Bay</p> 	<p>B5</p> <p>5</p>	<p>B4 for 4 correct entries B3 for 3 correct entries B2 for 2 correct entries B1 for 1 correct entry F.T. from previous entries until second error. <i>Award B4 if an answer of 22 (25 is used instead of 10 giving 3, 29 and an answer of 22).</i></p>

UNIT 2: CALCULATOR-ALLOWED, HIGHER TIER
GENERAL INSTRUCTIONS for MARKING GCSE Mathematics - Numeracy

1. The mark scheme should be applied precisely and no departure made from it. Marks should be awarded directly as indicated and no further subdivision made.
2. Marking Abbreviations
 The following may be used in marking schemes or in the marking of scripts to indicate reasons for the marks awarded.
 cao = correct answer only
 MR = misread
 PA = premature approximation
 bod = benefit of doubt
 oe = or equivalent
 si = seen or implied
 ISW = ignore subsequent working

 F.T. = follow through (✓ indicates correct working following an error and ✘ indicates a further error has been made)

 Anything given in brackets in the marking scheme is expected but, not required, to gain credit.
3. Premature Approximation
 A candidate who approximates prematurely and then proceeds correctly to a final answer loses 1 mark as directed by the Principal Examiner.
4. Misreads
 When the data of a question is misread in such a way as not to alter the aim or difficulty of a question, follow through the working and allot marks for the candidates' answers as on the scheme using the new data.
 This is only applicable if a wrong value, is used consistently throughout a solution; if the correct value appears anywhere, the solution is not classed as MR (but may, of course, still earn other marks).
5. Marking codes
 - 'M' marks are awarded for any correct method applied to appropriate working, even though a numerical error may be involved. Once earned they cannot be lost.
 - 'm' marks are dependant method marks. They are only given if the relevant previous 'M' mark has been earned.
 - 'A' marks are given for a numerically correct stage, for a correct result or for an answer lying within a specified range. They are only given if the relevant M/m mark has been earned either explicitly or by inference from the correct answer.
 - 'B' marks are independent of method and are usually awarded for an accurate result or statement.
 - 'S' marks are awarded for strategy
 - 'E' marks are awarded for explanation
 - 'U' marks are awarded for units
 - 'P' marks are awarded for plotting points
 - 'C' marks are awarded for drawing curves

UNIT 2: CALCULATOR-ALLOWED, HIGHER TIER

GCSE Mathematics – Numeracy Unit 2: Higher Tier	Mark	Comment
1. $380 \times 2.54/100 \times$ or 0.0254×380 $380 \times (1+0.0254)^6$ (£)441.72, (£) 441.71(635...), Conclusion, e.g. No as less than £460 Organisation and communication Accuracy of writing	B1 M1 A1 E1 OC1 W1 6	May be embedded in further calculation Method of adding on different amounts, 6 year period, following attempts to calculate 2.54% (e.g. $380+9.65(2)=389.65(2)$) Accept (£)441 or (£)442 from appropriate working FT from their compounded amount provided M1
2.(a) Mid points 0.5, 1.5, 2.5, 3.5 $0.5 \times 12 + 1.5 \times 44 + 2.5 \times 20 + 3.5 \times 4$ $6 + 66 + 50 + 14 (= 136)$ $\div 80$ (£)1.7(0) (b) $60 \times 2.3(0) + 80 \times 1.7(0) (=138+136 = 274)$ $\div (60 + 80)$ (£)1.96	B1 M1 m1 A1 M1 m1 A1 7	Accept $\pm 1p$ FT their mid-points, within & including bounds Their $\Sigma fx \div 80$ FT 'their £1.70' or 'their Σfx evaluated' $\div 140$. FT their 80 provided from attempted sum of the correct numbers An answer of (£)1.95714... is M1, m1, A0
3.(a) Correct multiplier $\times 0.55 \times 0.8(0)$ $\times 0.44$ Conclusion, e.g. 'not the same as Jane thinks it is $\times 0.35$ ', ' $0.35 \neq 0.44$ ' (b) $T = 0.55(\times)P$ $R = 0.44(\times)P$	B2 B1 E1 B2 B1 7	B1 for 0.55 and 0.8(0) or $(1-0.45) \times (1-0.2)$ Must show comparative multiplier, i.e. sight of $(\times)0.35$ B1 for $T = P - 0.45(\times)P$ FT their multiplier for (a)

GCSE Mathematics – Numeracy Unit 2: Higher Tier	Mark	Comment														
4. Sight of 5 miles \approx 8 km or 1 litre = 1.75 pints 7 km/l \approx $7 \times 5/8$ miles/l $\approx 7 \times 5/8 \div 1.75$ (miles/pint) $\approx 7 \times 5/8 \div 1.75 \times 8$ (mpg) 20 (mpg)	B1 M1 M1 M1 A1 5	Or equivalent <i>Multipliers could appear in any order</i>														
5. 52° or 38° indicated appropriately in the triangle Rig Bay to Jay Cliff = $\sin 52^\circ \times 3.2$ 2.5(216... km) (3.2 + 2.5... =) 5.7 (km)	B1 M2 A1 B1 5	$\sin 52^\circ = R \text{ to } J / 3.2$ FT 'their R to J' provided M1 awarded														
6. Correct substitution into formula. Using 16553(p) $U = \frac{16553/1.05 - 90 \times 31.48}{11.546}$ or equivalent 11.546 (Units used =) 1120	M1 m1 m1 A1 4	Do not penalise using (£)165.53 at this stage. The two 'm' marks may be awarded in either order. C.A.O. Accept answers of 1120 ± 1														
7.(a) (i) $7.2^2 - 3.4^2 = h^2$ or other correct initial use of Pythagoras' Theorem $h^2 = 40.28$ or (h =) $\sqrt{40.28}$ (h =) 6.3(46... cm) Volume = $\frac{1}{2} \times 3.4 \times 6.3(46..) \times 18.4$ 198.52(32...) 197(.064) or 197.1 (200 - 198.52(32..cm ³) = 1.48 =) 1.5 (cm ³) (ii) Explanation, states or implies e.g. 'too tight', 'could be different shape' (b) 3.35, 3.45, 2.55, 2.65, 6.75, 6.85 Greatest $3.45 \times 2.65 \times 6.85$ (=62.626125cm ³) AND Least $3.35 \times 2.55 \times 6.75$ (=57.661875cm ³) Difference/Least ($\times 100$) (4.96425/57.661875) 8.6(%)	M1 A1 A1 M1 A1 B1 E1 B2 M1 m1 A1 12	Accept $7.2^2 - 3.4^2$, or $7.2^2 = 3.4^2 + \dots^2$ FT 'their derived 6.3(46...) Accept answers from premature approximation CAO Sight of all 6 greatest and least values B1 for any 3 of the 6 Accept 9(%) from correct working														
8(a) Correct or reasonable estimates for the population densities, identifying Singapore as greatest and Wales as the least. 7540.78 \div 144.790713... 52(.0805.... times) (b) Wales and Tonga (c) False True False False False	B2 M1 A1 B1 B2 7	Singapore and Wales may not be identified explicitly but implied in later working. B1 at least 3 reasonable estimates for the population densities <table border="1" data-bbox="901 1541 1353 1742"> <thead> <tr> <th>Country</th> <th>Population density</th> </tr> </thead> <tbody> <tr> <td>Wales</td> <td>144.790713...</td> </tr> <tr> <td>Singapore</td> <td>7540.78..</td> </tr> <tr> <td>Bermuda</td> <td>1212.018...</td> </tr> <tr> <td>India</td> <td>378.55..</td> </tr> <tr> <td>Belgium</td> <td>366.706...</td> </tr> <tr> <td>Tonga</td> <td>144.819..</td> </tr> </tbody> </table> B1 for 4 correct	Country	Population density	Wales	144.790713...	Singapore	7540.78..	Bermuda	1212.018...	India	378.55..	Belgium	366.706...	Tonga	144.819..
Country	Population density															
Wales	144.790713...															
Singapore	7540.78..															
Bermuda	1212.018...															
India	378.55..															
Belgium	366.706...															
Tonga	144.819..															

GCSE Mathematics – Numeracy Unit 2: Higher Tier	Mark	Comment
<p>9(a) $\text{Diagonal}^2 = 8^2 + 8^2$ $\text{Diagonal} = 11.3(13..cm)$ $\text{Height} = \tan 32^\circ \times \frac{1}{2} \text{ Diagonal}$</p> <p>Height 3.5(347.. cm)</p> <p>(b) Volume pyramid = $\frac{1}{3} \times (8 \times 8) \times 3.5(347\dots)$ $75.4(09\dots cm^3)$</p> <p>(c) Hemisphere: $75.4(09\dots cm^3) = \frac{1}{2} \times \pi \times r^3 \times \frac{4}{3}$</p> <p>$r^3 = \frac{3 \times 75.4(09\dots) \times 2}{4 \times \pi}$ Radius hemisphere 3.3(0\dots cm)</p>	<p>M1 A1 M2 A1 M1 A1 M1 m1 A1 10</p>	<p>FT their derived diagonal M1 for $\tan 32^\circ = \text{height} / \frac{1}{2} \text{ Diagonal}$</p> <p>FT their derived height</p> <p>FT their derived volume of pyramid or total volume Isolating r^3 or r</p> <p><i>Allow SC1 if worked with volume of sphere equated to derived cap volume with r evaluated accurately</i></p>
<p>10.(a) D: Giving each pupil a raffle ticket and then randomly drawing raffle tickets for selection</p> <p>(b) <u>23456</u> $23456 + 43244 + 83124 + 11782 + 63789$ <u>23456</u> × 250 225395 26 (people)</p>	<p>B1 M1 m1 A1 4</p>	<p>Intention to find Central Party share of the votes OR sight of $0.104066(194) \times 250$</p> <p>Must be given as a whole number</p>

GCSE Mathematics – Numeracy Unit 2: Higher Tier	Mark	Comment
<p>11.</p> <p><i>NATIONAL INSURANCE</i> [Weekly gross salary (£)47840 ÷ 52 =] (£)920 $0.12 \times [(\text{£})805 - (\text{£})153] + 0.02 \times [(\text{£})920 - (\text{£})805]$ (£)80.54</p> <p><i>TAX</i> $(0.2 \times 31865) = (\text{£})6373$ $0.4 \times (47840 - 41865)$ (£)2390.00 $(6373 + 2390.00) = (\text{£})8763$</p> <p><i>PENSION</i> $[(\text{£})920 \times 0.085 =]$ OR $[(\text{£})47840 \times 0.085 \div 52]$ (£)78.2(0)</p> <p><i>TOTAL (Weekly)</i> $920 - [80.54 + 168.52 + 78.2(0)]$ = (£)592.74</p>	<p>B1 M2 A2</p> <p>B1 M1 A1 B1</p> <p>M1 A1</p> <p>M1 A1 13</p>	<p><i>Allow equivalent working (e.g. working in weeks, months or annually)</i> <i>Allow reasonable approximation at each stage</i> <i>Penalise once only for use of 48 weeks (12 × 4 weeks)</i></p> <p>M1 for one FT 'their (£)920' A1 for (£)78.24 or (£)2.30 FT 'their (£)78.24' + 'their (£)2.30' (may be seen in later workings)</p> <p>Accept $0.4 \times (47840 - 41866)$ Accept (£)2389.6(0) Accept $(6373 + 2389.6(0) =)$ (£)8762.6(0) FT 'their (£)6373' + 'their (£)2389.6(0)' Award B1 for sight of (£)168.52 or (£)168.51 (may be seen in later workings)</p> <p>FT 'their (£)920'</p> <p>Accept $920 - [80.54 + 168.51 + 78.2(0)]$ FT all their values for 'weekly gross salary', 'tax', 'NI' and 'pension'</p> <p>Accept (£)592.75</p>

UNIT 2: CALCULATOR-ALLOWED, INTERMEDIATE TIER
GENERAL INSTRUCTIONS for MARKING GCSE Mathematics - Numeracy

1. The mark scheme should be applied precisely and no departure made from it. Marks should be awarded directly as indicated and no further subdivision made.
2. Marking Abbreviations
 The following may be used in marking schemes or in the marking of scripts to indicate reasons for the marks awarded.
 cao = correct answer only
 MR = misread
 PA = premature approximation
 bod = benefit of doubt
 oe = or equivalent
 si = seen or implied
 ISW = ignore subsequent working

 F.T. = follow through (✓ indicates correct working following an error and ✘ indicates a further error has been made)

 Anything given in brackets in the marking scheme is expected but, not required, to gain credit.
3. Premature Approximation
 A candidate who approximates prematurely and then proceeds correctly to a final answer loses 1 mark as directed by the Principal Examiner.
4. Misreads
 When the data of a question is misread in such a way as not to alter the aim or difficulty of a question, follow through the working and allot marks for the candidates' answers as on the scheme using the new data.
 This is only applicable if a wrong value, is used consistently throughout a solution; if the correct value appears anywhere, the solution is not classed as MR (but may, of course, still earn other marks).
5. Marking codes
 - 'M' marks are awarded for any correct method applied to appropriate working, even though a numerical error may be involved. Once earned they cannot be lost.
 - 'm' marks are dependant method marks. They are only given if the relevant previous 'M' mark has been earned.
 - 'A' marks are given for a numerically correct stage, for a correct result or for an answer lying within a specified range. They are only given if the relevant M/m mark has been earned either explicitly or by inference from the correct answer.
 - 'B' marks are independent of method and are usually awarded for an accurate result or statement.
 - 'S' marks are awarded for strategy
 - 'E' marks are awarded for explanation
 - 'U' marks are awarded for units
 - 'P' marks are awarded for plotting points
 - 'C' marks are awarded for drawing curves

UNIT 2: CALCULATOR-ALLOWED, INTERMEDIATE TIER

GCSE Mathematics – Numeracy Unit 2: Intermediate Tier	Mark	Comment
1. (a)(i) £3.60 (ii) £3.51 (b) $\frac{3}{5} \times 1.8(0)$ or $1.8(0) - \frac{2}{5} \times 1.8(0)$ or equivalent (£)1.08 (c) $(0.4 \times 3.4(0) =)$ (£)1.36 (cost of grapes) (0.5 kg peaches is $3.46 - 1.36 =$) (£)2.1(0) 1kg of peaches (£)4.2(0)	B1 B1 M1 A1 B1 B1 B1 7	FT 'their derived cost of grapes', not £3.40 FT provided previous B mark awarded
2. FALSE FALSE FALSE TRUE FALSE	B2 2	B1 for any 4 correct
3. (Package) B (Package) G	B2 B2 4	<i>May be given in any order.</i> (Both of these fail on one of the preferred conditions). B1 for A or H chosen. (Fails on two conditions). B0 for C or F chosen. (All fail on three of the conditions) B0 for D and E. (Both fail on a definite requirement).
4. C B A D	B3 3	B3 for all 4 correct B2 for 2 or 3 correct B1 for 1 correct
5. (a) Old tablet: (Loss) 0.35×240 (Selling price=) $240 - 0.35 \times 240$ (£)156 (New tablet costs=) $365 - 0.2 \times 365$ or 0.8×365 (£)292 (Extra money needed)=($292 - 156$) (£)136 Organisation and communication Accuracy of writing (b) C	M1 m1 A1 M1 A1 B1 OC1 W1 B1 9	OR M2 for 0.65×240 FT 'their 156' provided M1 awarded for loss, and 'their 292' provided M1 awarded for new tablet cost SC1 for (£)209 (discount for special offer not considered)

GCSE Mathematics – Numeracy Unit 2: Intermediate Tier	Mark	Comment
<p>6. Sight of $\frac{(100 + 40) \times BC}{2}$ or equivalent</p> $\frac{(100 + 40) \times BC}{2} = 3500$ $BC = 2 \times 3500 / 140$ $= 50(\text{m})$	<p>B1 M1 A1 A1 4</p>	<p>For a correct expression for the total area of ABCD in terms of BC. F.T. their area only if in terms of BC and is dimensionally correct. For equating their expression for area, in terms of BC, with 3500. Further F.T. only if of equivalent difficulty</p>
<p>7. (a) Uniform scale on vertical axis.</p> <p>Plotting at least two correct points.</p> <p>Correct line drawn.</p> <p>(b)(10 stone =) 140 (lbs)</p> <p>Any correct strategy, e.g. 14 times their value at 10 lbs.</p> <p>A correct answer for their line.</p>	<p>B1 P1 L1 B1 M1 A1 6</p>	<p><i>P0,L0 if no attempt at uniform scaling.</i> \pm '½ a small square'. The origin may be one of the points. Correct line implies P1L1. For sight of 140. It may be implied in further work. Accept 10 times their value at 14lbs, if line drawn extends that far. F.T. their line, OR B1, M1, A1 for answers between 63(kg) and 64(kg) inclusive.</p>
<p>8. (a) Considering multiples of 18 and 24, e.g. sight of 18, 36, 54, .. AND 24, 48, 72, ..., OR Looking at factor of 18 and 24, e.g. sight of 2×9 AND 2×12 or $2 \times 3 \times 3$ AND $2 \times 2 \times 2 \times 3$ or other partial factorising</p> <p>Correct list of multiples of 18 to at least 72, or multiple 72 AND Correct list of multiples of 24 to at least 72, or multiple 72, OR Sight of $2 \times 3 \times 3 \times 4$</p> <p>Sight of 72 (as common multiple or number of minutes)</p> <p>Consideration of $16\frac{1}{2}$ hours compared to 72 minutes, e.g. $990/72$ Final time 06:00 add 13×72 minutes (or $936 \text{ mins} = 15.6 \text{ hrs} = 15 \text{ hrs } 36 \text{ mins}$) 21:36</p>	<p>S1 M1 A1 M1 m1 A1 6</p>	<p>At least 3 correct multiples for both</p> <p>18, 36, 54, 72 24, 48, 72</p> <p>OR 1 hour 12 minutes FT time from 06:00 for their number of minutes provided S1 and M1 awarded</p>
<p>9. $380 \times 2.54/100 \times$ or 0.0254×380 $380 \times (1+0.0254)^6$</p> <p>(£)441.72, (£) 441.71(635...),</p> <p>Conclusion, e.g. No as less than £460</p>	<p>B1 M1 A1 E1 4</p>	<p>May be embedded in further calculation Method of adding on different amounts, 6 year period, following attempts to calculate 2.54% (e.g. $380+9.65(2)=389.65(2) \dots$)</p> <p>Accept (£)441 or (£)442 from appropriate working</p> <p>FT from their compounded amount provided M1</p>

GCSE Mathematics – Numeracy Unit 2: Intermediate Tier	Mark	Comment
<p>10(a)</p> $7.2^2 - 3.4^2 = h^2$ or other correct initial use of Pythagoras' Theorem $h^2 = 40.28$ or $(h =) \sqrt{40.28}$ $(h =) 6.3(46\dots \text{cm})$ Volume = $\frac{1}{2} \times 3.4 \times 6.3(46\dots) \times 18.4$ $198.52(32\dots)$ or $197(.064)$ or 197.1 <p>$(200 - 198.52(32\dots \text{cm}^3) = 1.48 =) 1.5 \text{ (cm}^3)$ (b) Explanation, states or implies e.g. 'too tight', 'could be different shape'</p>	<p>M1 A1 A1 M1 A1 B1 E1</p> <p>7</p>	<p>Accept $7.2^2 - 3.4^2$, or $7.2^2 = 3.4^2 + \dots^2$</p> <p>FT 'their derived 6.3(46\dots)' Accept answers from premature approximation CAO</p>
<p>11.(a) Mid points 0.5, 1.5, 2.5, 3.5 $0.5 \times 12 + 1.5 \times 44 + 2.5 \times 20 + 3.5 \times 4$ $6 + 66 + 50 + 14 (= 136)$ $\div 80$ $(\text{£})1.7(0)$</p> <p>(b) $60 \times 2.3(0) + 80 \times 1.7(0) (= 138 + 136 = 274)$ $\div (60 + 80)$ $(\text{£})1.96$</p>	<p>B1 M1 m1 A1 M1 m1 A1</p> <p>7</p>	<p>Accept $\pm 1p$ FT their mid-points, within & including bounds Their $\Sigma fx \div 80$</p> <p>FT 'their £1.70' or 'their Σfx evaluated' $\div 140$. FT their 80 provided from attempted sum of the correct numbers An answer of $(\text{£})1.95714\dots$ is M1, m1, A0</p>
<p>12.(a) Correct multiplier $\times 0.55 \times 0.8(0)$</p> <p>$\times 0.44$ Conclusion, e.g. 'not the same as Jane thinks it is $\times 0.35$', '$0.35 \neq 0.44$'</p> <p>(b) $T = 0.55(\times)P$ $R = 0.44(\times)P$</p>	<p>B2 B1 E1 B2 B1 7</p>	<p>B1 for 0.55 and 0.8(0) or $(1-0.45) \times (1-0.2)$</p> <p>Must show comparative multiplier, i.e. sight of $(\times)0.35$</p> <p>B1 for $T = P - 0.45(\times)P$ FT their multiplier for (a)(i)</p>
<p>13. Sight of 5 miles \approx 8 km or 1 litre = 1.75 pints $7 \text{ km/l} \approx 7 \times 5/8 \text{ miles/l}$ $\approx 7 \times 5/8 \div 1.75 \text{ (miles/pint)}$ $\approx 7 \times 5/8 \div 1.75 \times 8 \text{ (mpg)}$ 20 (mpg)</p>	<p>B1 M1 M1 M1 A1 5</p>	<p>Or equivalent <i>Multipliers could appear in any order</i></p>
<p>14. 52° or 38° indicated appropriately in the triangle Rig Bay to Jay Cliff = $\sin 52^\circ \times 3.2$ $2.5(216\dots \text{km})$ $(3.2 + 2.5\dots =) 5.7 \text{ (km)}$</p>	<p>B1 M2 A1 B1 5</p>	<p>$\sin 52^\circ = \text{RtoJ}/3.2$</p> <p>FT 'their RtoJ' provided M1 awarded</p>
<p>15. Correct substitution into formula. Using 16553(p) $U = \frac{16553/1.05 - 90 \times 31.48}{11.546}$ or equivalent</p> <p>(Units used =) 1120</p>	<p>M1 m1 m1 A1</p> <p>4</p>	<p>Do not penalise using $(\text{£})165.53$ at this stage.</p> <p>The two 'm' marks may be awarded in either order. C.A.O. Accept answers of 1120 ± 1</p>

UNIT 2: CALCULATOR-ALLOWED, FOUNDATION TIER
GENERAL INSTRUCTIONS for MARKING GCSE Mathematics - Numeracy

1. The mark scheme should be applied precisely and no departure made from it. Marks should be awarded directly as indicated and no further subdivision made.
2. Marking Abbreviations
 The following may be used in marking schemes or in the marking of scripts to indicate reasons for the marks awarded.
 cao = correct answer only
 MR = misread
 PA = premature approximation
 bod = benefit of doubt
 oe = or equivalent
 si = seen or implied
 ISW = ignore subsequent working

 F.T. = follow through (✓ indicates correct working following an error and ✘ indicates a further error has been made)

 Anything given in brackets in the marking scheme is expected but, not required, to gain credit.
3. Premature Approximation
 A candidate who approximates prematurely and then proceeds correctly to a final answer loses 1 mark as directed by the Principal Examiner.
4. Misreads
 When the data of a question is misread in such a way as not to alter the aim or difficulty of a question, follow through the working and allot marks for the candidates' answers as on the scheme using the new data.
 This is only applicable if a wrong value, is used consistently throughout a solution; if the correct value appears anywhere, the solution is not classed as MR (but may, of course, still earn other marks).
5. Marking codes
 - 'M' marks are awarded for any correct method applied to appropriate working, even though a numerical error may be involved. Once earned they cannot be lost.
 - 'm' marks are dependant method marks. They are only given if the relevant previous 'M' mark has been earned.
 - 'A' marks are given for a numerically correct stage, for a correct result or for an answer lying within a specified range. They are only given if the relevant M/m mark has been earned either explicitly or by inference from the correct answer.
 - 'B' marks are independent of method and are usually awarded for an accurate result or statement.
 - 'S' marks are awarded for strategy
 - 'E' marks are awarded for explanation
 - 'U' marks are awarded for units
 - 'P' marks are awarded for plotting points
 - 'C' marks are awarded for drawing curves

UNIT 2: CALCULATOR-ALLOWED, FOUNDATION TIER

GCSE Mathematics – Numeracy Unit 2: Foundation Tier	Mark	Comment												
<p>1. (a)</p> <table border="1" data-bbox="328 320 687 539"> <thead> <tr> <th>Item</th> <th>Cost</th> </tr> </thead> <tbody> <tr> <td>Pair of gloves</td> <td>(£)22.49</td> </tr> <tr> <td>3 water bottles</td> <td>(£) 18.36</td> </tr> <tr> <td>Pair of shoes</td> <td>(£) 79.95</td> </tr> <tr> <td>2 pairs of shorts</td> <td>(£) 81(.00)</td> </tr> <tr> <td>Total</td> <td>(£)201.8(0)</td> </tr> </tbody> </table> <p>(b) (£)201.8(0) $\frac{5}{100} \times$ (£)201.8(0) or equivalent</p> <p style="text-align: right;">(£)191.71</p>	Item	Cost	Pair of gloves	(£)22.49	3 water bottles	(£) 18.36	Pair of shoes	(£) 79.95	2 pairs of shorts	(£) 81(.00)	Total	(£)201.8(0)	<p>B4</p> <p>M2</p> <p>A1</p> <p>7</p>	<p>B1 for each correct answer F.T. if no more than one error</p> <p>F.T. 'their total from (a)' M1 for sight of $\frac{5}{100} \times$ (£)201.8(0) or equivalent or (£)10.09</p> <p>Accept rounded or truncated answers to 2dp from F.T. F.T. 'their 201.8(0)' – 'their 10.09' provided of equivalent difficulty</p>
Item	Cost													
Pair of gloves	(£)22.49													
3 water bottles	(£) 18.36													
Pair of shoes	(£) 79.95													
2 pairs of shorts	(£) 81(.00)													
Total	(£)201.8(0)													
<p>2. Arrow drawn or indicated to 530 (grams)</p>	<p>B3</p> <p>3</p>	<p>Accept indication between 520 and 540 exclusive Award B2 for sight of $350 + 180 (=530)$ OR correct evaluation indicated on diagram of $350 +$ 'their 180' Award B1 for sight of 180 OR for $350 +$ 'their 180' e.g. $350 + 190 (=540)$ or $350 + 140 (=490)$</p>												
<p>3.(a) Apples 15(kg) Total to females 28(kg) Females 4(kg) more grapes than males</p> <p>(b)(i) Explanation, e.g. 'she only looked at the highest bar for the males' (ii) Grapes 20(kg), bananas 18(kg), (apples 15kg) Most popular stated as grapes</p>	<p>B1 B1 B1</p> <p>E1</p> <p>M1 A1 6</p>	<p>Totals for grapes and bananas correct</p>												
<p>4. (a)</p> <table border="1" data-bbox="360 1395 655 1592"> <thead> <tr> <th>Subject</th> <th>Result as a percentage</th> </tr> </thead> <tbody> <tr> <td>Mathematics</td> <td>74%</td> </tr> <tr> <td>Welsh</td> <td>70(%)</td> </tr> <tr> <td>Science</td> <td>75(%)</td> </tr> <tr> <td>English</td> <td>67(%)</td> </tr> </tbody> </table> <p>(b) Science</p>	Subject	Result as a percentage	Mathematics	74%	Welsh	70(%)	Science	75(%)	English	67(%)	<p>B3</p> <p>B1</p> <p>4</p>	<p>Award B1 for each correct answer</p> <p>FT their completed table of percentages in (a)</p>		
Subject	Result as a percentage													
Mathematics	74%													
Welsh	70(%)													
Science	75(%)													
English	67(%)													
<p>5(a) 1200 (metres) 900 (metres) 1.5 (furlongs)</p> <p>(b) Explanation with calculations given</p> <p style="text-align: center;">2000 (metres)</p>	<p>B1 B1 B1</p> <p>E1</p> <p>B1 5</p>													

GCSE Mathematics – Numeracy Unit 2: Foundation Tier	Mark	Comment
<p>6. (Perimeter=) $12 + 9 + 12 + 9$ $= 42$ (m) (Number of panels = $42 \div 3 =$) 14 (Cost =) $14 \times (\pounds)21.98$ $= (\pounds)307.72$</p> <p>Organisation and communication Accuracy of writing</p>	<p>M1 A1 B1 M1 A1</p> <p>OC1 W1</p> <p>7</p>	<p>F.T. their perimeter F.T. their number of panels</p> <p><i>Alternative method: dividing by 3 to get no. of panels on 1 side B1 $4 + 3 + 4 + 3$ M1 (Number of panels =)14 A1 Cost $14 \times (\pounds)21.98$ M1 $(\pounds)307.72$ A1</i></p> <p><i>Award SC3 for unsupported answer of $(\pounds)153.86$</i></p>
<p>7. (a)(i) $\pounds 3.60$ (ii) $\pounds 3.51$</p> <p>(b) $\frac{3}{5} \times 1.8(0)$ or $1.8(0) - \frac{2}{5} \times 1.8(0)$ or equivalent $(\pounds)1.08$</p> <p>(c) $(0.4 \times 3.4(0) =)$ $(\pounds)1.36$ (cost of grapes) (0.5 kg peaches is $3.46 - 1.36 =$) $(\pounds)2.1(0)$ 1kg of peaches $(\pounds)4.2(0)$</p>	<p>B1 B1</p> <p>M1 A1</p> <p>B1 B1 B1 7</p>	<p>FT 'their derived cost of grapes', not $\pounds 3.40$ FT provided previous B mark awarded</p>
<p>8. FALSE FALSE FALSE TRUE FALSE</p>	<p>B2</p> <p>2</p>	<p>B1 for any 4 correct</p>
<p>9. (Package) B (Package) G</p>	<p>B2 B2</p> <p>4</p>	<p><i>May be given in any order. (Both of these fail on one of the preferred conditions). B1 for A or H chosen. (Fails on two conditions). B0 for C or F chosen. (All fail on three of the conditions) B0 for D and E. (Both fail on a definite requirement).</i></p>
<p>10. C B A D</p>	<p>B3</p> <p>3</p>	<p>B3 for all 4 correct B2 for 2 or 3 correct B1 for 1 correct</p>

GCSE Mathematics – Numeracy Unit 2: Foundation Tier	Mark	Comment
<p>11. (a) Old tablet: (Loss) 0.35×240 (Selling price=) $240 - 0.35 \times 240$ (£)156 (New tablet costs=) $365 - 0.2 \times 365$ or 0.8×365 (£)292 (Extra money needed)=($292 - 156$) (£)136</p> <p>(b) C</p>	<p>M1 m1 A1 M1 A1 B1 B1 7</p>	<p>OR M2 for 0.65×240</p> <p>FT 'their 156' provided M1 awarded for loss, and 'their 292' provided M1 awarded for new tablet cost SC1 for (£)209 (discount for special offer not considered)</p>
<p>12. Sight of $\frac{(100 + 40) \times BC}{2}$ or equivalent</p> $\frac{(100 + 40) \times BC}{2} = 3500$ $BC = 2 \times 3500 / 140$ $= 50(\text{m})$	<p>B1 M1 A1 A1 4</p>	<p>For a correct expression for the total area of ABCD in terms of BC. F.T. their area only if in terms of BC and is dimensionally correct. For equating their expression for area, in terms of BC, with 3500. Further F.T. only if of equivalent difficulty</p>
<p>13. (a) Considering multiples of 18 and 24, e.g. sight of 18, 36, 54, .. AND 24, 48, 72, .., OR Looking at factor of 18 and 24, e.g. sight of 2×9 AND 2×12 or $2 \times 3 \times 3$ AND $2 \times 2 \times 2 \times 3$ or other partial factorising</p> <p>Correct list of multiples of 18 to at least 72, or multiple 72 AND Correct list of multiples of 24 to at least 72, or multiple 72, OR Sight of $2 \times 3 \times 3 \times 4$</p> <p>Sight of 72 (as common multiple or number of minutes)</p> <p>Consideration of $16\frac{1}{2}$ hours compared to 72 minutes, e.g. $990/72$ Final time 06:00 add 13×72 minutes (or 936 mins = 15.6 hr = 15 hrs 36 mins) 21:36</p>	<p>S1 M1 A1 M1 m1 A1 6</p>	<p>At least 3 correct multiples for both</p> <p>18, 36, 54, 72 24, 48, 72</p> <p>OR 1 hour 12 minutes FT time from 06:00 for their number of minutes provided S1 and M1 awarded</p>

ASSESSMENT GRIDS

GCSE Mathematics - Numeracy

Unit 1: Higher Tier

Unit 1: Higher Tier			Assessment Objectives			Common (Interm)	OCW
Qu.	Topic	Max mark	AO1	AO2	AO3		
1	Whale loci	7		7		7 (Q8)	
2	Hotel: area and cumulative frequency	14		10	4	14 (Q9)	
3	Standard form, division, gold bar density	6	6			6 (Q10)	
4	Circuit board machines	4		4		4 (Q11)	
5	Boxplots	3	1		2	3 (Q12)	
6	Hotel: interpreting straight lines	5	2	1	2	5 (Q13)	
7	Similar shapes	9	2	7			*
8	Velocity of car	7	4	3			
9	Mobile phone data histogram	8		4	4		
10	mp3 player	4		4			
11	Road building costs	13	4		9		
	Totals	80	19	40	21	39	

GCSE Mathematics - Numeracy

Unit 1: Intermediate Tier			Assessment Objectives			Common (Found)	Common (Higher)	OCW
Qu.	Topic	Max mark	AO1	AO2	AO3			
1	Martina walks scale drawing	4		4		4 (Q5)		
2	Robbie school day travel graph	5	3		2	5 (Q6)		
3	Car valet: June costs	8	4	4				
4	Car valet: profit and loss	6			6	4 (Q7)		*
5	Ferry problem	4		4		4 (Q8)		
6	Aquarium visit: Scatter diagram kg stones lbs	9	3	6		9 (Q9)		
7	Cardiff: Venn diagram	5			5	5 (Q10)		
8	Whale loci	7		7			7 (Q1)	
9	Hotel: area and cumulative frequency	14		10	4		14 (Q2)	
10	Standard form, division, gold bar density	6	6				6 (Q3)	
11	Circuit board machines	4		4			4 (Q4)	
12	Boxplots	3	1		2		3 (Q5)	
13	Hotel: interpreting straight lines	5	2	1	2		5 (Q6)	
Totals		80	19	40	21	31	39	

GCSE Mathematics - Numeracy

Unit 1: Foundation Tier			Assessment Objectives			Common (Interm)	OCW
Qu.	Topic	Max mark	AO1	AO2	AO3		
1	Medals: pictogram	7	3	4			
2	Mobile phones deals	7	1	6			
3	Hotel: beds, tables and chairs	13		9	4		*
4	Hotel: area, missing lengths	7	3		4		
5	Martina walks scale drawing	4		4		4 (Q1)	
6	Robbie school day travel graph	5	3		2	5 (Q2)	
7	Car valet: profit and loss	4			4	4 (Q4)	
8	Ferry problem	4		4		4 (Q5)	
9	Aquarium visit: Scatter diagram kg stones lbs	9	3	6		9 (Q6)	
10	Cardiff: Venn diagram	5			5	5 (Q7)	
Totals		65	13	33	19	31	

GCSE Mathematics - Numeracy

Unit 2: Higher Tier

Unit 2: Higher Tier			Assessment Objectives			Common (Interm)	OCW
Qu.	Topic	Max mark	AO1	AO2	AO3		
1	AER saving to buy scooter	6		6		4 (Q9)	*
2	Price of a bottle of water	7	4	3		7 (Q11)	
3	Sandwich discount multiplier equation	7		3	4	7 (Q12)	
4	Fuel consumption	5		5		5 (Q13)	
5	Right-angled triangle bearings	5		5		5 (Q14)	
6	Formula substitution	4	4			4 (Q15)	
7	Triangular prism box bounds cuboid	12		5	7	7 (Q10)	
8	Population density	7	5		2		
9	Volume: Fence caps	10	2	3	5		
10	Sampling and <i>VotePredict</i>	4	1	3			
11	Imran's salary	13		13			
Totals		80	16	46	18	39	

GCSE Mathematics - Numeracy

Unit 2: Intermediate Tier			Assessment Objectives			Common (Found)	Common (Higher)	OCW
Qu.	Topic	Max mark	AO1	AO2	AO3			
1	Fruit prices	7	4	3		7 (Q7)		
2	Rugby: interpreting the mean	2			2	2 (Q8)		
3	Holiday dates	4			4	4 (Q9)		
4	Interpreting graphs	3		3		3 (Q10)		
5	Upgrading tablet + interpreting pie chart	9		9		7 (Q11)		*
6	Area Trapezium	4		4		4 (Q12)		
7	Conversion graph	6		6				
8	Buses leaving at same time	6			6	6 (Q13)		
9	AER saving to buy scooter	4		4			4 (Q1)	
10	Triangular prism box cuboid	7			7		7 (Q7a)	
11	Price of a bottle of water	7	4	3			7 (Q2)	
12	Sandwich discount multiplier equation	7		3	4		7 (Q3)	
13	Fuel consumption	5		5			5 (Q4)	
14	Right-angled triangle bearings	5		5			5 (Q5)	
15	Formula substitution	4	4				4 (Q6)	
Totals		80	12	45	23	33	39	

GCSE Mathematics - Numeracy

Unit 2: Foundation Tier			Assessment Objectives			Common (Interm)	OCW
Qu.	Topic	Max mark	AO1	AO2	AO3		
1	Charity bike ride	7	4	3			
2	Rhys sandwich	3		3			
3	Fruit shop bar charts	6		3	3		
4	Jac's test results	4	4				
5	Conversion furlongs metres	5	3		2		
6	Vegetable patch	7		7			*
7	Fruit prices	7	4	3		7 (Q1)	
8	Rugby: interpreting the mean	2			2	2 (Q2)	
9	Holiday dates	4			4	4 (Q3)	
10	Interpreting graphs	3		3		3 (Q4)	
11	Upgrading tablet + interpreting pie chart	7		7		7 (Q5)	
12	Area Trapezium	4		4		4 (Q6)	
13	Buses leaving at same time	6			6	6 (Q8)	
Totals		65	15	33	17	33	